

treated). Pour the required amount of undiluted Chlorpyrifos 4E into the inflowing water or apply to the water surface as a coarse, low pressure spray. Treat stagnant waters by diluting Chlorpyrifos 4E with sufficient water or oil to obtain uniform distribution.

CESSPOOLS, SEPTIC TANKS - 1 fl. oz. per 1000 cu. ft. of water. Apply directly or flush the required amount down a toilet.

CATCH BASINS - 0.04 fl. oz. per catch basin. Dilute 2 fl. oz. of Chlorpyrifos 4E with 3 gallons of water to make 0.25% chlorpyrifos spray and apply 1/2 pint of the mixture per catch basin as a coarse, low pressure spray. Uniformly cover the exposed walls (sides) of the basin and the water surface.

CONDITIONS AND RATES TO USE FOR MOSQUITO CONTROL

Condition of Area to be Treated	Chlorpyrifos 4E (fluid ounces)	Chlorpyrifos (pounds)	Number Acres 1 gallon of Chlorpyrifos 4E will treat
Larval Control None to medium vegetative cover	0.4 to 0.8	0.0125 to 0.025	320 to 160
Medium to heavy vegetative cover	0.8 to 1.6	0.025 to 0.5*	160 to 80
Adult Control Light to medium vegetative cover	0.8	0.025	160
Medium to heavy vegetative cover	1.6	0.05*	80

*The higher dosage will also give faster knockdown and longer residual control where there is little or no vegetative cover.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. THE MANUFACTURER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL. Read all directions carefully.

BEST AVAILABLE COPY

Updated 10-3-89 per reregistration phase 2 (inerts)

3110-111 12/15/89 10/1/89

OILAN
(Malathion-Oil Emulsifiable)

ACTIVE INGREDIENT:

MALATHION: 0,0-dimethyl phosphorodithioate of
diethyl mercaptosuccinate 5.25%

INERT INGREDIENTS: 94.75%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching the back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush eyes for at least 15 minutes with water. Call physician immediately.

See Below For Additional Precautionary Statements


EPA Reg. No. 51036-141

EPA Est. No. 51036-GA-1

Manufactured By
MICRO FLO COMPANY
P.O. BOX 5948
LAKELAND, FLORIDA 33807

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



PRECAUTIONARY STATEMENTS
Hazards To Humans And Domestic Animals

CAUTION

May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin and clothing. Avoid breathing vapors, dust, or spray mist. Wash thoroughly after handling. Wash contaminated clothing before reuse. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

ENVIRONMENTAL HAZARDS

OUTDOOR USE ON NONAQUATIC SITES:

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages to amphibians. Do not apply directly to water or wetlands (i.e. swamps, bogs, marshes, and potholes) Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: Store in a dry place. In case of spill, remove spillage with an industrial type vacuum cleaner and wash area with household bleach.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a

BEST AVAILABLE COPY

sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

OILAN is an emulsifiable concentrate insecticide containing a special highly refined insecticidal oil fortified with Malathion. This product should be diluted in water for use as a spray against insects of certain ornamental and fruit plants as directed below.

Read the entire label and follow directions and cautions. Use contrary to these directions may result in injury to valuable plants, excessive residues, or in poor insect control.

RATES: Unless directed otherwise below mix 1.25 fl. oz. (2 1/2 tablespoons) per each gallon of water; 4 fl. oz. (1/4 pt.) per 3 gals.; 8 fl. oz. per 6 gals.; 1 1/2 pts. per 18 gals.; or 2 qts. per 50 gals. Spray for even and thorough coverage of upper and lower leaf surfaces, stems and fruit.

CAMELLIAS: Use against Tea Scale and other Scale Insects, Spider Mites, Aphids, Mealybug and White Fly. Against heavy Tea Scale infestations increase strengths (above) by one-third. Use 1.7 fl. oz. (3 1/2 tablespoons) per each gallon of water or 10 fl. oz. per 6 gals. water. Spray in spring and again in late September if needed.

AZALEAS: Against Spider Mites, Mealybugs, Lace bug, Scale Insects, and Leaf Miner (roller), spray just after blooming, again in late May or early June; and in late September. Use at other times, if needed, but within limits of the "Cautions" given below.

GARDENIA, HOLLY, IXORA, LIGUSTRUM, AND JUNIPER - Against Scale Insects, Mealybugs, White Fly, Spider Mites and Aphids. To avoid plant injury observe "Cautions" given below.

CITRUS, AVOCADOS - Use against Scale Insects, Spider Mites, Mealybugs, White Fly and Aphids. To avoid plant injury follow "Cautions" given below. Do not use within 7 days before harvesting Citrus or Avocados. Do not apply during full bloom on Citrus.

CAUTIONS

This product contains petroleum oils and should never be combined with Sulfur or Lime-Sulfur sprays. Do not use within 30 days before or after Sulfur or Lime-Sulfur applications. Do not repeat oil sprays in less than thirty days. Do not spray plants with this product if the plants are suffering from lack of moisture, wilted or temperatures exceed 90 degrees F or when temperatures are expected to approach freezing. Oil sprays after October 1 may increase susceptibility to cold injury. Oil sprays should not be

BEST AVAILABLE COPY