

Reg # 51036-153

PM-19

F/L

197

United States Environmental Protection Agency
Washington, D.C. 20460

OCT 4 1993

Office of
Prevention, Pesticides and
Toxic Substances

Morris Gaskins
MICRO-FLO CO.
BOX 5948
INSELAND FL 33807

Subject: Label Amendment Submission of 05/27/93
in Compliance with WPS Labeling Requirements
EPA Reg No. 51036-153
MOLE CRICKET BAIT 1%

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)

297
Office of Pesticide Programs (H-7504C)
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460-0001


Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL)
Room 266A Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

397

MICRO-FLO CO.
MOLE CRICKET BAIT 1#
51036-153 05/27/93
Original Submission

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

The Agricultural Use Requirements section must either be placed in a box or printed on the label in a contrasting color from the surrounding text.

There is a typographical error(s) in the User Safety Recommendations section.

497

**MOLE CRICKET BAIT
ORGANOPHOSPHATE**

A Ready To Use Insecticidal Bait For Application To The Soil Surface Of Flower And Shrub Beds, Lawns, Golf Courses And Other Ornamental Turf For Control Of Certain Insects As Listed Which May Feed Upon This Insecticidal Bait

Ants, Sow Bugs, Field Crickets, Mole Crickets, Cutworms, Earwigs And Darkling Beetles

ACTIVE INGREDIENT:

Chlorpyrifos (0,0-Diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate) 1.00%

INERT INGREDIENTS: 99.00%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

**STATEMENT OF PRACTICAL TREATMENT
Organophosphate**

IF SWALLOWED: Call a physician or Poison Control Center immediately. Have victim drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

This product is an organophosphorus ester that inhibits cholinesterase.

See Additional Precautionary Statements Inside

EPA Reg. No. 51036-153

EPA Est. No. 51036-GA-1

**Manufactured By
MICRO FLO COMPANY
P.O. BOX 5948
LAKELAND, FLORIDA 33807**

ACCEPTED
with COMMENTS
In EPA Letter Dated

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

51036-153

PRECAUTIONARY STATEMENTS
Hazards To Humans And Domestic Animals

CAUTION

May be harmful if swallowed. Do not take internally. Avoid eye and skin contact. Keep away from food, feedstuffs, and domestic water supplies.

NOTE TO PHYSICIAN - Active Ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

1. Long-sleeved shirt and long pants
2. Waterproof gloves
3. Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMENDATIONS

Users should:

1. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
2. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing

ENVIRONMENTAL HAZARDS

This product is toxic to fish, pets, birds and other wildlife. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as recommended on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Disposal - Do not reuse container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is:

1. Coveralls
2. Waterproof gloves
3. Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides [40 CFR Part 170]. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children, pets and other unprotected persons out of treated areas until sprays have dried.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

AS A BAIT APPLIED TO THE SOIL OF FLOWER BEDS - For the control of ants, sow bugs, field and mole crickets, cutworms, earwigs, and darkling beetles, apply this product at the rate of 2-1/4 pounds to cover 1,000 square feet. Sprinkle over the soil area uniformly in areas where these insects are seen or are feeding. Replace bait as needed for continued control. Apply approximately 100 pounds per acre. Apply in late afternoon when the soil is moist.

MOLE CRICKETS IN LAWNS, GOLF COURSES AND OTHER ORNAMENTAL TURF - For control of mole crickets apply this granule product at the rate of 100 pounds per acre or 2-1/4 pounds per 1,000 sq. ft. Spread

evenly over the area using a mechanical spreader. Apply in late afternoon on moist soil in areas known to be infested with these insects. Repeat application in about one week for best control.

The best time to control the Southern Mole Cricket:

March through August - egg laying time

February through September - adult mole crickets.

NOTICE - Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms
o f t h i s l a b e l .