	JEPA REGISTRATION NO.	
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)	51036-169 TERM OF ISSUANCE	4/29/9/
WASHINGTON, DC 20460		
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Dimethoate 25WP	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
F	٦	•
Micro Flo Company		
P.O. Box 5949		
Lakeland, FL 33807		
<u> </u>	1	
	_	
NOTE: Changes in labeling formula differing in substance from submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	to use of the label in commerce.	-
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove numed pesticide is hereby	Registered/Reregistered under
A copy of the labeling accepted in connection with this Reg.	istration/Reregistration is return	ned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any named to be construed as giving the registrant a right to by others.	, may at any time suspend or car se in connection with the registr	ncel the registration of a pest- ation of a product under this
by others.		
This product is conditionally req 3(c)(7)(A) provided that you:	istered in accordance	with FIFRA section
,		
 Submit/cite all data or other preregistration of your product under F when the Agency requires all registran 	IFRA section $3(c)(5)$	or FIFRA section
data.		
2. Make the labeling changes lis for shipment:	ted below before you	release the product
a. Add the phrase "EPA Regis	tration No. 51036-169.	N .
b. Under the heading, "Re-En interval of 4 days must be reference to citrus since 'not appear on your label.	e specified for grape:	s. Delete the 🖯
3. Submit five (5) copies of you release the product for shipment. Refedescription of final printed labeling.		
4. Submit the one-year storage s the date of this notice.	tability data within	15 months from
	T AVAILABLE	COPY

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

Charle

64979:I:C:<-31:Mautz:L14-7:KEVRIC:04/23/91:05/19/91:DD:wo:aw

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

MICRO FLO DIMETHOATE 25 WP INSECTICIDE

ACTIVE INGREDIENT:
Dimethoate (0,0-dimethyl S-[(methylcarbamoyl)
methyl] phosphorodithioate) 25.00%
INERT INGREDIENTS: 75.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

TOTAL

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with fingers. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 51036-RAO

EPA EST. No. 51036-GA-1

100.00%

Manufactured By
MICRO FLO COMPANY
P.O. BOX 5948
LAKELAND, FLORIDA 33807

ACCEPTED
with COMMENTS
in EPA Latter Dated:

APR 29 1991

Under the Foderal Insecticide, Fungicide, and Rodenticide Act as amended, for the posticide registered under EPA Rog. No.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS Hazards To Humans And Domestic Animals CAUTION

May be harmful if swallowed inhaled or absorbed through skin. Avoid breathing dust or spilly mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Wash clothing before reuse. In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritations persist.

REQUIRED CLOTHING AND EQUIPMENT FOR APPLICATION: All applicators, including homeowners, flaggers and all personnel involved with the mixing, loading, and transferring operations must wear protective clothing and equipment enumerated below. Pilots are exempt from this requirement. The protective clothing and equipment to be worn is as follows: a) Impermeable gloves (for example, rubber or plastic covered reinforced gloves). b) Boots or boot covers. c) Long-sleeved shirt and long pants. d) Wide-brimmed hat. e) Respirators must be worn by flaggers and mixer loaders.

AERIAL APPLICATION: Automatic flagging devices should be used whenever feasible. If human flaggers are employed they must wear the protective clothing and respirator specified on this label. NOTE TO PHYSICIANS: This product, may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxine chloride (2-PAM, Proto Pam Chloride) may be effective as an adjunct to Atropine.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and aquatic invertebrates. Do not apply directly to water or wetlands. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CHEMIGATION PROHIBITON

~ "Do not apply this product through any type of irrigation system.

RE-ENTRY STATEMENTS """

BEST AVAILABLE COPY

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried. Certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written and oral warnings must include the following information: CAUTION - Area treated with Dimethoate on (date of application). Do not enter without appropriate protective clothing for 24 hours. California requires a safety interval of 4 days for Citrus and Grapes. Check with you State Department of Agriculture for further information.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry place away from strong alkalies or strong oxidizers.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS

Repeat applications as necessary. Do not apply when weather conditions favor drift of spray from areas treated. Consult your state agricultural experiment station or state agricultural extension service for proper timing of applications. "FOR GENERAL APPLICATION by commercial growers or commercial applicators, on the crops listed below, apply recommended amounts in sufficient water for good coverage. FOR AEPIAL

BEST AVAILABLE COPY

APPLICATION use the recommended amount of Dimethoate 25WP in 2 to 10 gallons of water.

APPLES, PEARS: Aphids, Leafhoppers, Pear Psylla, Mites (except rust mites) - 1 to 2 lbs. per 100 gals. water. Interval between last application and harvest - 28 days. Do not apply during the bloom period. Do not graze livestock in treated orchards.

POTATOES: Aphids, Leafminers, Leafhoppers - 1 to 2 lbs. per acre. Potatoes may be harvested on day of application.

GRAPES* (Calif. Raisin, Wine, table and canning grapes): Grape Leafhoppers, Pacific Spider Mite, Thrips - 6 to 8 lbs. per acre. Note: Interval between last application and harvest - 28 days. Aerial application - apply in 15 to 30 gals. of water per acre. Ground application - apply through concentrate spray equipment in 20 to 40 gals. of water per acre or through dilute equipment in 200 to 400 gals. of water per acre depending upon vine growth density. Repeat applications as necessary. Do not enter treated areas for 4-days unless appropriate protective equipment is worn.

*NOTE: Dimethoate 25 WP Insecticide may leave a visible deposit of powder on berries at maturity if treatment is made after berries reach 1/4 inch in size. To avoid objectionable deposits of powder on berries grown for table and canning production, do not apply treatments to these crops after berries reach 1/4 inch in diameter.