

N-SLUGS-N-SNAILS

**FOR LAWNS AND ORNAMENTAL HORTICULTURE AND ON SOIL IN:
VEGETABLES GARDENS AND FRUIT CROPS**

ACTIVE AGREDIENTS:

Metaaldehyde 0.13%

INERT INGREDIENTS: 99.87%

TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.


IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF SWALLOWED: Call physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**SEE ELSEWHERE ON LABEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

EPA Reg. No. 51036-RTE

EPA Est. No. 51036-GA-1



**MANUFACTURED BY
MICRO FLO COMPANY
ROUTE 1 BOX 190
SPARKS, GEORGIA 31647**

NET WT. 48 OZS. (3 LBS.)

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if absorbed through skin or swallowed. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply directly on fruits and vegetables and use only on soil.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

DIRECTIONS

Apply N-Slugs-N-Snails during the daytime in the shade or during overcast skies. Preferred time is during the evening hours, after sprinkling water, or after a rain. Scatter the Bait onto the surface of the soil around gardens, flowers, ornamental plants and lawn areas. Apply one pound of Bait to each 1,000 sq. ft. For heavier infestation apply over a smaller area. Apply only to soil surface around plants. Do not apply to foliage or other plant parts. See directions for use around vegetables and fruits. Always wear protective clothes.

growing season. Bait early before damage occurs. Treatment every two weeks should give good control. During periods of

BEST AVAILABLE COPY

heavy moisture, rainfall or waterings, it may be necessary to bait more often.

ADDITIONAL DIRECTIONS

N-Slugs-N-Snails bait is a patented formulation to attract and control both juveniles and adult snails and slugs. N-Slugs-N-Snails bait is easy to apply and economical. One pound of N-Slugs-N-Snails will bait 1,000 square feet.

Snails and Slugs may be observed on-the-spot with a oozy slime excretion trail. Snails and slugs will eat anytime of the day, when overcast sky, rainy days, in damp cool places, under wood piles and trash, around and on ornamental gardens, on flowers along fence lines and around bushes.

Scatter N-Slugs-N-Snails bait onto the soil during wet or dry occasion. Water may be added before applying but is not necessary.

GREENHOUSES, HOT HOUSE AND LATH STRUCTURES: Place around the pots, planters, and flats. Keep bait from coming in contact with plants. Scatter at anytime, when dry, wet, or after watering.

FRUITS AND VEGETABLES: To control snails and slugs around the following fruits and vegetables, apply onto the soil surface around the plants. Do not contaminate edible parts.

FRUITS: Apples, Avocados, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries

VEGETABLES: Asparagus, Beans, Beets, Cabbage, Carrots, Corn, Cucumbers, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes and Turnips.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. THE MANUFACTURER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL. Read all directions carefully.

100-55-100-100