PM-19

Lobeling



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

75C 5 1993

Morris Gaskins MICRO-FLO CO. P.O. Box 5948 Lakeland, FL 33807 OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Subject:

Label Amendment Submission of 06/02/93 in Response to PR Notice 93-7

EPA Reg. No. 51036-172 N-SLUGS-N-SNAILS

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
 AND
- WITHIN one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Ariington, VA 22202

Sincerely,

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

MICRO-FLO CO.
N-SLUGS-N-SNAILS
51036-172 06/02/93
Original Submission

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

The Agricultural Use Requirements section must either be placed in a box or printed on the label in a contrasting color from the surrounding text.

Delete "notification to workers" from the first paragraph of the Agricultural Use Requirements section.

Your label contains redundant WPS phrases that should be eliminated. Metaldebyde is not an N-Methyl Carbamate. Remove the reference to N-Methyl Carbamate.

There is a typographical error(s) in the User Safety Recommendations section. Typographical errors are circled in red.

Druft labeling for WPS language in response to PR 93-7

N-SLUGS-N-SNAILS -N-METHYL CARBANATE

FOR LAWNS AND ORNAMENTAL HORTICULTURE AND ON SOIL IN:
VEGETABLES GARDENS AND FRUIT CROPS

ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT N=mothyl Carbamate

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Call a physician if

irritation persists.

IF SWALLOWED: Call physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

This product is an N-methyl carbamate acid ester that inhibits cholinesterase.

SEE ELSEWHERE ON LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 51036-172

EPA Est. No. 51036-GA-1

MANUFACTURED BY MICRO FLO COMPANY P.O. Box 5948 Lakeland, FL 33807 ACCEPTED
with COMMENTS
In EPA Letter Dated

JEC 2 - 1993

Under the Foderal Insecticide, Fundation, and Redesticide Act as amended, for the posticide registered under EPA Reg. No.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin or swallowed. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

. . .

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- 1. Long-sleeved shirt and long pants
- 2. Waterproof gloves
- 3. Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY/RECOMENDATIONS

Users should:

- 1. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- 2. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply directly on fruits and vegetables and use only on soil.

For any requirements specific to your State or Tribe, consult the agency resposible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment, notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is:

- 1. Coveralis
- 2. Waterproof gloves
- 3. Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENT

The requirement in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children, pets, and other unprotected persons out of treated areas until soil has dried.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

DIRECTIONS

Apply N-Slugs-N-Snails during the daytime in the shade or during overcast skys. Preferred time is during the evening hours, after sprinkling water, or after a rain. Scatter the Bait onto the surface of the soil around gardens, flowers, ornamental plants and lawn areas. Apply one pound of Bait to each 1,000 sq. ft. For heavier infestation apply over a smaller area. Apply only to soil surface around plants. Do not apply to foliage or other plant parts. See directions for use around vegetables and fruits. Always wear protective gloves. Snails and Slugs are likely to infest at the start of the spring growing season. Bait early before damage occurs. Treatment every two weeks should give good control. During periods of heavy moisture, rainfall or waterings, it may be necessary to bait more often.

ADDITIONAL DIRECTIONS

N-Slugs-N-Snails bait is a patented formulation to attract and juveniles and control both and adult snails N-Slugs-N-Snails bait is easy to apply and economical. One pound of N-Slugs-N-Snails will bait 1,000 square feet. Snails and Slugs may be observed on-the-spot with a oozy slime excretion trail. Snails and slugs will eat anytime of the day, when overcast sky, rainy days, in damp cool places, under wood piles and trash, around and on ornamental gardens, on flowers along fence lines and around bushes. Scatter N-Slugs-N-Snails bait onto the soil during wet or dry occasion. Water may be added before applying but is not necessary.

GREENHOUSES, HOT HOUSE AND LATH STRUCTURES: Place around the pots, planters, and flats. Keep bait from coming in contact with plants. Scatter at anytime, when dry, wet, or after watering.

FRUITS AND VEGETABLES

To control snails and slugs around the following fruits and vegetables, apply onto the soil surface around the plants. Do not contaminate edible parts.

FRUITS:

Apples, Avocados, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries

VEGETABLES:

Asparagus, Beans, Beets, Cabbage, Carrots, Corn, Cucumbers, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes and Turnips.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

THE MANUFACTURER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL.

Read all directions carefully.

· 10 ...