

SEP 26 1995

Lee Tharrington  
Micro Flo Company  
P.O. Box 5948  
Lakeland, FL 33807

Dear Mr. Tharrington:

Subject: Additional crops  
N-Slugs-N-Snails  
EPA Registration No. 51036-172  
Amendment application of August 17, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), sec. 3(c)(7)(b), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide Rodenticide Branch  
Registration Division (7505C)

Enclosure

297

N-SLUGS-N-SNAILS

FOR LAWNS AND ORNAMENTAL HORTICULTURE AND ON SOIL IN:  
FIELD, FRUIT AND VEGETABLE CROPS

ACTIVE INGREDIENTS:

Metaldehyde .....	0.13%
INERT INGREDIENTS: .....	99.87%
TOTAL .....	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF SWALLOWED: Call physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

SEE ELSEWHERE ON LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 51036-172

EPA Est. No. 51036-GA-1

ACCEPTED  
with comments  
by EPA Lab. 1/2/77

SEP 26 1995

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

51036-172

MANUFACTURED BY  
MICRO FLO COMPANY  
P.O. Box 5948  
Lakeland, FL 33807

397

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin or swallowed. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

1. Long-sleeved shirt and long pants
2. Waterproof gloves
3. Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

1. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
2. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply directly on fruits and vegetables and use only on soil.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or

497  
other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is:

1. Coveralls
2. Waterproof gloves
3. Shoes plus socks

#### NON-AGRICULTURAL USE REQUIREMENT

The requirement in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children, pets, and other unprotected persons out of treated areas until soil has dried.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

#### STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

#### AGRICULTURAL USE DIRECTIONS

Apply as a soil surface treatment. May be broadcast by air or ground equipment unless specified otherwise in the label. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant. For best results, apply in evening. Especially beneficial, if applied following rain or watering. Apply every 3 to 4 weeks during growing season or as needed. May be applied to the following crops to protect from slugs and snails.

FIELD CROPS: Cereal grains, corn, legumes, mint - Apply 10 to 40 pounds per acre.

597

**SEED CROPS:** Sugar beets, flowers, grasses, vegetable and legume crops grown for seed - Apply 10 to 40 pounds per acre.

**VEGETABLES:** Asparagus, beans, beets, black-eyed peas, broccoli, brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, legumes, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons - Apply 20 to 40 pounds per acre. Artichokes - By air or ground application before tight bud stage, apply 25 to 70 pounds per acre. After tight bud stage, apply by ground application only.

**TREE CROPS:** Citrus - Apply 20 to 40 pounds per acre to give even distribution. Avocado, cherries, peaches, apricots, apples, pears, plums - Apply 20 to 40 pounds per acre.

**SMALL FRUIT:** Blackberries, blueberries, boysenberries, caneberries, loganberries, raspberries, strawberries, grapes - Apply 10 to 40 pounds per acre.

**TURF & ORNAMENTALS:** Ornamental greenhouses, ornamental plantings, commercial ornamental nurseries, ground covers, turfgrass areas, grasses grown for sod, dichondra, and around the home and building foundations - Normally apply 1/2 to 2 pounds per 1,000 square feet. Repeat treatment as necessary to maintain control.

**DO NOT APPLY DIRECTLY TO EDIBLE PORTION OF THE PLANT.**

#### HOMEOWNER USE DIRECTIONS

Apply N-Slugs-N-Snails during the daytime in the shade or during overcast skies. Preferred time is during the evening hours, after sprinkling water, or after a rain. Scatter the Bait onto the surface of the soil around gardens, flowers, ornamental plants and lawn areas. Apply one pound of Bait to each 1,000 sq. ft. For heavier infestation apply over a smaller area. Apply only to soil surface around plants. Do not apply to foliage or other plant parts. See directions for use around vegetables and fruits. Snails and Slugs are likely to infest at the start of the spring growing season. Bait early before damage occurs. Treatment every two weeks should give good control. During periods of heavy moisture, rainfall or waterings, it may be necessary to bait more often.

#### ADDITIONAL DIRECTIONS

N-Slugs-N-Snails bait is a patented formulation to attract and control both juveniles and adult snails and slugs. N-Slugs-N-Snails bait is easy to apply and economical. One pound

697

of N-Slugs-N-Snails will bait 1,000 square feet. Snails and Slugs may be observed on-the-spot with a oozy slime excretion trail. Snails and slugs will eat anytime of the day, when overcast sky, rainy days, in damp cool places, under wood piles and trash, around and on ornamental gardens, on flowers along fence lines and around bushes. Scatter N-Slugs-N-Snails bait onto the soil during wet or dry occasion. Water may be added before applying but is not necessary.

**GREENHOUSES, HOT HOUSE AND LATH STRUCTURES:** Place around the pots, planters, and flats. Keep bait from coming in contact with plants. Scatter at anytime, when dry, wet, or after watering.

#### FRUITS AND VEGETABLES

To control snails and slugs around the following fruits and vegetables, apply onto the soil surface around the plants. Do not contaminate edible parts.

##### FRUITS:

Apples, Apricots, Avocados, Blackberries, Blueberries, Boysenberries, Caneberries, Cherries, Citrus, Grapes, Loganberries, Peaches, Pears, Plums, Raspberries, Strawberries

##### VEGETABLES:

Artichoke, Asparagus, Beans, Beets, Black-eyed peas, Broccoli, Brussel Sprouts, Cabbage, Cantaloupes, Carrots, Cauliflower, Celery, Collards, Corn, Cowpeas, Cucumbers, Eggplant, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Lettuce, Melons, Mustard Greens, Okra, Onions, Parsnips, Peas, Peppers, Pimentos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, and Watermelons

MICRO FLO WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSE STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MICRO FLO. IN NO CASE SHALL MICRO FLO BE LIABLE FOR THE CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, MICRO FLO MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT

721  
FOR ANY PARTICULAR TRADE USAGE.

Read all directions carefully.