

SLAM

A Pesticidal Bait For Control Of Diabroticine Beetle Adults

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate).....13.0%

INERT INGREDIENTS:.....87.0%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.



ENVIRONMENTAL HAZARDS

This product is toxic to estuarine and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

EPA Reg. No. 51036-185
AD 071692

EPA Est. No. 51036-GA-1

Manufactured By:
MICRO FLO COMPANY
P.O. Box 5948
Lakeland, FL 33807



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

Storage: Store in unopened package in a cool, dry location.

Pesticide disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State and Local procedures.

Container disposal: Completely empty bags into application equipment. Dispose of empty bags in a sanitary landfill or by incineration if allowed by State and Local authorities. If burned, stay out of smoke.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

IT IS CRITICAL THAT SLAM BE APPLIED AS DIRECTED

Crop

Beans, bean forage, beans-hay, corn-fresh (including field, sweet, pop, seed). corn fodder, corn forage, cucurbits and melons, peanuts, peanuts-hay, peas (with pods), potatoes, soybeans, sweet potatoes.

Pest

Adult Diabroticine Beetles (Diabrotica and Acalymma species).

Rate

Broadcast rate of 0.5 pounds (8 ounces) to 0.75 pounds (12 ounces) per acre per application.

Maximum of 3.75 pounds per crop growing season.


Application

Broadcast or band application. Dilute with water for a minimum of one gallon finished spray per acre by aerial application and a minimum of five gallons finished spray per acre by ground application.

Thoroughly mix solution and maintain adequate agitation. Use 20 mesh screens or coarser.

Timing

Apply at beetle emergence in the spring before egg laying begins, or when beetle population levels reach the economic threshold and injury levels for the crop. Repeat applications if scouting the crop indicates further control measures need to be taken. Consult your local Cooperative Agricultural Extension Service or crop consultant for further information regarding Diabroticine beetle control on crops in your area.



WARRANTY AND LIMITATION OF DAMAGES

Manufacturer warrants that this product conforms to the chemical description and guaranteed limits of active ingredients and makes no other express or implied warranty including any other express or implied warranty of fitness or merchantability of any kind.

9 5
3 5
3 5
3 5