



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:  
51036-210

Date of Issuance:  
AUG 31 1993

NOTICE OF PESTICIDE:  
  X   Registration  
       Reregistration

Term of Issuance: Until  
Reregistration

Name of Pesticide Product:  
ADIOS RTU

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Micro Flo Co.  
P.O. Box 5948  
Lakeland, FL 33807

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes:
  - a. Add the phrase "EPA Registration No. 51036-210"
  - b. Since application rates are given the following statement should be deleted:  
  
"Because the pests ingest the bait, extremely low rates of toxicant are needed to provide control."

Signature of Approving Official: DENNIS H. EDWARDS

Date: AUG 31 1993

2 3 6  
page 2  
EPA Reg. No. 51036-210

3. Submit five (5) copies of the revised final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

DENNIS H. EDWARDS

Dennis H. Edwards, Jr.  
Product Manager 19  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

# ADIOS RTU

Bait For Control Of Corn Rootworm Adults and Cucumber Beetles

**ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl N-methylcarbamate).....	13.0%
INERT INGREDIENTS:.....	87.0%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

## CAUTION

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation developes.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or cholinesterase inhibiting drugs.

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

## CAUTION


May be harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eye, or clothing. Wash thoroughly with soap and water after handling. Wash hands and face before eating. Wear long-sleeved work clothing and water proof gloves when handling.

EPA Reg. No. 51036-appl

EPA Est. No. 51036-GA-1

ACCEPTED  
 TO COMMENTS  
 AUG 31 1993  
 Federal Insecticide, Fungicide, and Rodenticide Act  
 51036-10

Manufactured By:  
 MICRO FLO COMPANY  
 P.O. Box 5948  
 Lakeland, FL 33807



ENVIRONMENTAL HAZARDS

This product is extremely toxic to estuarine and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store unused product in original container only, in a cool, dry area out of reach of children and animals, preferably in a locked storage area. Do not store in areas where temperatures frequently exceed 100 F. After use, replace cap on container.

**Pesticide disposal:** Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State and Local procedures.

**Container disposal:** Do not reuse empty container. Rinse thoroughly before discarding in trash. Securely wrap in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE


It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not reuse empty container or measuring devices for other purposes. Apply when insects or damage appear. Repeat as necessary to maintain control unless a spray interval is indicated.

IT IS CRITICAL THAT ADIOS RTU BE APPLIED AS DIRECTED

APPLICATION:

ADIOS RTU is a bait formulation containing carbaryl and a feeding stimulant which causes the targeted pests to eat the toxicant. Because the pests ingest the bait, extremely low rates of toxicant are needed to provide control.

Best results are obtained when ADIOS RTU adheres to plant foliage. For this reason the product should be sprinkled on plants when they are wet - either when dew is present or after they have been watered - and when winds are still. Because this product is a bait, thorough coverage is not essential. Apply as light a sprinkle per plant as possible. Minimum application rate is 1/4 oz. per 1,000 square feet. Maximum rate is 1 oz. per 1,000 square feet.




Apply ADIOS RTU at beetle emergence and repeat applications as necessary. An application should provide control until all the bait is consumed or the product is washed off the foliage - repeat applications should be made after rainfall or overhead irrigations.

**TIMING:**

Apply at beetle emergence in the spring before egg laying begins. Repeat applications as necessary except during Preharvest interval.

**VEGETABLE CROPS**

PLANTS	INSECTS	COMMENTS
Beans (Dry, Green, Lima, Navy and Snap)	Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle	May be applied up to harvest
Corn-fresh (field, sweet and pop)	Western Corn Rootworm, Southern Corn Rootworm, Northern Corn Rootworm, Mexican Corn Rootworm	May be applied up to harvest
Cowpeas	Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle	Do not apply within 3 days of harvest
Cucurbits (squash, cucumber, pumpkin)	Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle	May be applied up to harvest
Eggplant	Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle	May be applied up to harvest 

Melons (Watermelons, Honeydew, Crenshaw, Cantaloupe, Casaba, Muskmelon)

Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle

May be applied up to harvest

Peas, (peas with pods)

Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle

Do not apply within 3 days of harvest

Peppers

Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle

May be applied up to harvest

Potatoes

Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle

May be applied up to harvest

Sweet potatoes

Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle

May be applied up to harvest

Tomatoes

Banded Cucumber Beetle, Striped Cucumber Beetle, Spotted Cucumber Beetle, Western Spotted Cucumber Beetle, Western Striped Cucumber Beetle

May be applied up to harvest

WARRANTY AND LIMITATION OF DAMAGES

Manufacturer warrants that this product conforms to the chemical description and guaranteed limits of active ingredients and makes no other express or implied warranty including any other express or implied warranty of fitness or merchantability of any kind.

