

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 2 5 2006

Mr. Bill Washburn Regulatory Affairs Manager Micro Flo Company LLC P.O. Box 772099 Memphis, TN 38137

Subject:

Supplemental Label for the Additional "Me-Too" Use on Soybeans

Acephate 90SP

EPA Reg. No. 51036-238

Your Application of May 24, 2006

Dear Mr. Washburn:

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), is acceptable, provided that you submit two copies of your final printed label incorporating the following correction before you release the product for shipment.

Clarify the maximum seasonal application rate restriction so that it is clear as to the maximum amount of active ingredient and amount of formulated product to be applied per acre; i.e.

Do not apply more than 1.66 lbs/acre (1.5 lbs a.i./acre) of Acephate 90SP per season.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of this condition.

At your next label printing, or within one year, whichever comes first, you must incorporate this supplemental labeling into the main product labeling. A stamped copy of the label is enclosed for your records

Additional label corrections may be needed pending review and evaluation of the required responses to the Interim Reregistation Eligibility Decision and accompanying Data Call In which were mailed to all acephate registrants.

Sincerely,

Marilyn A. Mautz

Biologis:

Insecticide-Rodenticide Branch Registration Division (7504P)

SUPPLEMENTAL LABEL

Acephate 90SP

EPA Reg. No. 51036-238

For Foliar Application of Acephate 90SP by Air or Ground for Insect Control in Soybeans

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

GENERAL USE RESTRICTIONS

- Do not graze or cut vines for hay or forage.
- Do not apply more than 1.5 lbs. a.i./Acre of Acephate 90SP per season.
- Do not apply Acephate 90SP within 14 days of harvest.
- Always read and follow all label directions, restrictions, and precautions when using any
 pesticide alone or in tank mix combinations. The most restrictive labeling applies when
 using a tank mix.

APPLICATION METHOD	PESTS CONTROLLED	RATES OF ACEPHATE 90SP PER ACRE	REMARKS	DAYS TO HARVEST
FOLIAR	Grasshopper	0.28 – 0.56 lb	Repeat treatment as	14
	Thrips		follows:	
By Air:	Potato Leafhopper	0.56 – 1.1 lbs.		
5 to 10 gallons /	Stinkbugs		0.5 lbs.a.i./acre and	
Acre of spray	Armyworms (except Beet)	0.83 – 1.1 lbs.	less : 3 days	
	Bean Leaf Beetle			
By Ground:	Cabbage Looper		greater than 0.5	
10 to 50 gallons /	Green Cloverworm		lbs.a.i./acre: 7 days	
Acre of spray	Mexican Bean Beetle			
	Soybean Aphid	i		
	Threecornered Alfalfa Hopper			
	Velvetbean Caterpillar			

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. PLEASE REFER TO CONTAINER LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. FOLLOW ALL APPLICATION DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

Manufactured By Micro Flo Company LLC P.O. Box 772099 Memphis, TN 38117 ACCEPTED
with COMENTS
in EPA Letter Dated:
SEP 25 2005
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
As amended, for the pesticide
Registered under EPA Reg. No.
5/016-238