(under FIFRA, as amen Name and Address of R Micro Flo Co. P.O. Box 5948 Lakeland, Flo Note: Changes in labe be submitted to and a correspondence on thi On the basis of infor registered/reregister Registration is in no In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 3 1. Subr rere whet proo resp unde 2. Make	Registrant (include ZIP Code): 8	EPA Reg. Number: 51036- 258 Term of Issuance: Conditional Name of Pesticide Chloraxyl S Treater	Product:
(under FIFRA, as amen Name and Address of R Micro Flo Co. P.O. Box 5948 Lakeland, Flo Note: Changes in labe be submitted to and a correspondence on thi On the basis of infor registered/reregister Registration is in no In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 3 1. Subr rerect whet proc resp under 2. Make	Registration Reregistration nded) Registrant (include ZIP Code): 8 orida 33807	Conditional Name of Pesticide Chloraxyl S	Product:
Name and Address of R Micro Flo Co. P.O. Box 5948 Lakeland, Flo Note: Changes in labe be submitted to and a correspondence on thi On the basis of infor registered/reregister Registration is in no In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 3 1. Subr rere whet proo resp unde 2. Make	Registrant (include ZIP Code): 8 orida 33807	Chloraxyl S	
Micro Flo Co. P.O. Box 5948 Lakeland, Flo Note: Changes in labe be submitted to and a correspondence on thi On the basis of infor registered/reregister Registration is in no In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 3 1. Subr rere whet proo resp unde 2. Make	8 orida 33807		Seed
Micro Flo Co. P.O. Box 5948 Lakeland, Flo Note: Changes in labe be submitted to and a correspondence on thi On the basis of infor registered/reregister Registration is in no In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 3 1. Subr rere whet proo resp unde 2. Make	8 orida 33807		
be submitted to and a correspondence on thi On the basis of infor registered/reregister Registration is in no In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 3 1. Subm rere whet proc resp unde 2. Make		prostion with this	polotostion much
registered/reregister Registration is in no In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 30 1. Subr rere when proc resp unde 2. Make	accepted by the Registration Division prior to use of is product always refer to the above EPA registration	f the label in comme	
In order to protect h cancel the registration exclusive use of the This pro FIFRA sec. 3 1. Subr rere whet proc resp unde 2. Make	rmation furnished by the registrant, the above named red under the Federal Insecticide, Fungicide and Rode		· ·
rere when proc resp unde 2. Make	health and the environment, the Administrator, on his ion of a pesticide in accordance with the Act. The n of a product under this Act is not to be construed name or to its use if it has been covered by others oduct is conditionally registere (c)(7)(A) provided that you:	s motion, may at any acceptance of any na as giving the regis	r time suspend or me in connection trant a right to
	mit and/or cite all data require egistration of your product unde n the Agency requires all regist ducts to submit such data; and s ponses required for reregistrat; er FIFRA section 4.	er FIFRA sec trants of si submit accep	. 3(c)(5) milar table
	Take the following labeling change before you release the product for shipment:		
a.	Add the phrase "EPA Registratio	on No. 51036	-258".
	Revise the section on labeling include the grazing restriction the Agricultural Use Requirement treated seed will not otherwise grazing restrictions.	ns which app nts box. Pu	ear above rchasers of
Signature of Approvir	AFRINAL FORFFOLTONIOS	Date:	₩₩₩₩₩₽₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩
Cari			

Ż

-19⁴0-

...

and the second state of th

~

J

3. Submit five copies of the final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Wel

Connie B. Welch Product Manager (21) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

7505C:C.Grable:cg:4/29/96

SEED TREATMENT FUNGICIDE

Contains 2.9 lbs. a.i. chloroneb and 0.34 lbs. metalaxyl per gallon

In Case of Emergency, Call CHEMTREC: (800) 424-9300

ACCEPTED with COMMENTS In EPA Letter Dated

May 1997 Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide

registered under EPA Reg. No.

. . . .

1

 $\frac{1}{1} = 0$

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by gently touching back of throat with finger. Do not induce vomiting of give anything by mouth to an unconscious person.

IF ON SKIN OR IN EYES: Immediately flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

EPA Reg. No. 51036-appl.

1

EPA Est No. 32761-MO-3

Manufactured For: MICRO FLO COMPANY P.O. BOX 5948 LAKELAND, FL 33807

NET CONTENTS: <u>1 gallon</u>

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. May cause eye irritation. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA Chemical resistance category selection chart.

Applicators and other handlers must wear:

- 1. Long-sleeved shirt
- 2. Long pants

-}

- 3. Chemical-resistant gloves such as barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton
- 4. Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statement: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

USER SAFETY RECOMMENDATIONS Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

. . . .

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Read the entire Directions For Use and the Conditions IMPORTANT: of Sale and Notice before using this product.

FAILURE TO FOLLOW DIRECTIONS ON THIS LABEL, MAY RESULT IN CROP INJURY OR POOR DISEASE CONTROL.

In California, apply only with a closed system.

In California, do not graze plants grown from treated seed. In other areas, do not graze beans or soybeans within 45 days of planting.

AGRICULTURAL USE REQUIREMENTS Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170 This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restrictedentry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the

restricted-entry interval (REI) of 12 hours.

EXCEPTION: If the product is used for seed treatment, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: 1. Coveralls

. . . .

والمتحجوق ومنقص والمتعاوية متمام منتجا فتحت

- 3

2. Chemical-resistant gloves such as barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton

3. Shoes plus socks

)

DIRECTIONS FOR USE (continued)

USE THE HIGH RATE WHEN CONDITIONS FOR DISEASE EXPRESSION ARE FAVORABLE.

Always apply Choraxyl Seed Treater to the seed prior to using any plantability aid for vacuum planters.

BEANS:

String beans, black-eyed peas, cowpeas, field beans, green beans, kidney beans, lima beans, navy beans, pole beans, snap beans, wax beans and lupine.

For Pythium and Rhizoctonia seed rot and damping-off, apply Chloraxyl Seed Treater as a seed treatment at the rate of 5.5 - 7.0 fluid ounces per 100 pounds of seed.

COTTON:

)

For Pythium and Rhizoctonia seed rot and damping-off of acid or machine delinted cotton seed, apply Chloraxyl Seed Treater as a seed treatment at the rate of 5.75 - 11.75 fluid ounces per 100 pounds of seed.

SOYBEANS:

For early season *Phytophithora* control and *Pythium* and *Rhizoctonia* seed rot and damping-off, apply Chloraxyl Seed Treater as a seed treatment at the rate of 5.5 - 7.0 fluid ounces per 100 pounds of seed.

SUGAR BEETS:

For Pythium and Rhizoctonia seed rot and damping-off, apply Chloraxyl Seed Treater as a seed treatment at the rate of 10.75 fluid ounces per 100 pounds of seed.

COMMERCIAL TREATMENT

Chloraxyl Seed Treater may be applied as a water-based slurry with other registered seed treatment insecticides and fungicides through standard slurry or mist-type commercial seed treatment equipment.

NOTE: Federal law requires that bags containing treated seed shall be labeled with the following information:

"This seed has been treated with MICRO FLO COMPANY Chloraxyl Seed Treater fungicide. Do not use treated seed for food, feed or oil purposes."

Store away from feeds and foodstuffs.

The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable

color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR, Part 2.25. Any dye added must be cleared for use under 40 CFR, Part 180.1001.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

}

STORAGE: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

CONDITIONS OF SALE

Chloraxyl Seed Treater is a systemic fungicide having a specific mode of action. Chloraxyl Seed Treater could be subject to development of resistant strains of fungi. Development of resistance cannot be predicted. Therefore, MICRO FLO COMPANY cannot assume liability for crop damage resulting from resistant strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible Chloraxyl Seed Treater resistant strains of fungi which may occur.

MICRO FLO WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSE STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MICRO FLO. IN NO CASE SHALL MICRO FLO BE LIABLE FOR THE CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, MICRO FLO MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR

IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

,

)

)

.

8/8

.

و و و و ب 1 - - - و

но 1.4 в 1.7 1.8

6

1 . . .