JAN | 8 2002

Mr. Matthew Talley Micro Flo Company LLC P.O. Box 772099 Memphis, TN 38117-2099

Dear Mr. Talley:

( )

Subject: Kumulus DF

EPA Reg. No. 51036-352

Your Submission of August 17, 2001

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that the following labeling changes are made prior to release of the product for shipment.

- 1. There has been a recent change in the Worker Protection Standard (WPS) labeling regarding the use of the term "waterproof gloves". Under PPE for early entry in the Agricultural Use Requirements box, change "waterproof gloves" to "chemical-resistant gloves made of any waterproof material". This change should also be made to the product label at the next printing.
- 2. Change "Product Bulletin" to "Supplemental Label" since this term is more descriptive of the type of labeling.
- 3. Following the statement beginning "Read the entire label - -". add the following statements: "All applicable directions, restrictions, and precautions on the Kumulus DF label must be followed. This labeling must be in possession of the user at the time of pesticide application."

Submit one copy of your final printed supplemental labeling before you release the labeling for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the supplemental label is enclosed.

Sincerely yours,

Mary L. Waller

Product Manager (21)

Fungicide Branch

Registration Division (7505C)

Mary S. Waller

Enclosure

7505C:CGrable:cg:1/11/02

#### PRODUCT BULLETIN

## KUMULUS DF Fungicide/Acaracide

EPA Reg. No. 51036-352

READ THE ENTIRE LABEL FOR KUMULUS DF BEFORE
PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN
THIS BULLETIN

"Label" as used in this bulletin refers to the label booklet for Kumulus DF container labels and this supplement.

# AERIAL APPLICATION TO CONIFERS ONLY FOR USE IN WASHINGTON AND OREGON

For Suppression of Swiss needle-cast caused by phaeocryptopus gaeumannii

KEEP OUT OF REACH OF CHILDREN

#### CAUTION

PRECAUCION

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, Consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- 1. Coveralls
- 2. Waterproof gloves
- 3. Shoes plus socks
- 4. Protective eyewear

FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR CONTROL, AND/OR ILLEGAL RESIDUES.

#### AERIAL APPLICATION TO DOUGLAS FIR

KUMULUS DF may provide suppression of Swiss needle cast caused by Phaeocryptopus gaeumannii. For best results, make the first application in the spring when there is 1-2" of new growth. Repeat as necessary every 10-14 days. Do not exceed a total of 3 applications per season. Use of a spreader-sticker is recommended to improve efficacy. Apply 30-60 pounds of product per acre in sufficient water to obtain thorough, uniform coverage of the foliage. If making only one aerial pass over the timber, use a minimum water volume of 15 gallons per acre. For optimal coverage, apply % of the recommended rate per acre in a minimum of 10 gallons of water per acre one direction and repeat in the opposite direction using the remaining % of the recommended rate in a minimum of 10 gallons of water per acre. Do not exceed 180 pounds of Kumulus DF per acre per year. Use the higher use rate under heavier disease pressure. Reapply the treatments the following year to protect the new foliage. Consult your local agricultural extension agent for correct timing of applications.

Note: Aerial application only. Do not apply to trees in ornamental or landscape usage.

Manufactured by: Micro Flo Company LLC P.O. Box 772099 Memphis, Tn. 38117

ACCEPTED with COMMENTS In EPA Letter Dated:

JAN | 1 8 | 2002

Jan 1 o 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pestic.de registered under EPA Reg. No.

51036-352