US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DO DIVISION //S 767)
WASHINGTON DC 20460

NOTICE OF PESTICIDE

\*\*CONTRACTOR\*\*

\*\*CONTRACTOR\*

E-Z CLOR GRANULAR TRICHLOR

NAME AND ACCRESS OF FEGISTRANT Include ZIP code.

one Roomer

Г

)

South Central Pool Supply, Inc. 2750 Lake Villa Drive, Suite 201 Metairie, LA 70002

i Not or Smendedi

NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Regi tration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Make the following labeling changes before you release the product for shipment:

- 1. Refer to the enclosed Attachment A for the necessary revisions to the Precautionary Statements for the subject product.
- 2. Revise the Environmental Hazards statement to read: "
  This pesticide is toxic to fish and other aquatic organism.
  Do not discharge effluent containing this product into
  lakes, streams, ponds, estuaries, oceans or other waters
  unless in accordance with the requirements of a National
  Pollutant Discharge Elimination System (NPDES) permit and
  the permitting authority has been notified in writing prior
  to discharge. Do not discharge effluent containing this

ļ	ATTACHMENT IS APPLICABLE
-	SIGNATURE OF APPROVING OFFICIAL
L	
E	PA Form 8570 6 (Rev. 5.76)

2044

product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.".

3. Delete the heading "General Information" and place the Misuse Statement under the "Directions For Use" heading.

A stamped copy of the product label is enclosed for your records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Ruth G. Douglas

D

Product Manager (32) Antimicrobial Program Branch Registration Division (7504C)

Enclosure

## ISOCYANURATE RED ATTACHMENT A - Batch 31

LABELING: (Statements are based on review of referenced acute toxicity data)

1. The signal word is "DANGER"

.)

2. Revise the Precautionary Statements to read:

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

3. Revise the Statement of Practical Treatment to read:

STATEMENT OF PRACTICAL TREATMENT.

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 3 0 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act es amended. for the pesticide registered under EPA Reg. No. 5/109-5 his a violation of Federal law to use this product in a manner inconsistent with as labeling.

E-Z Clar' Granular Trichlor is for use against algae attached to pool bottom and/or honzontal surfaces. For floating algae or lice adhered to side mall E-Z Clor squid Algaecide or Algi-Kleer should be used.

DIRECTIONS FOR USE

GENERAL INFORMATION

 Using a suitable less bit, check total alkatinity and pH of pool water.
 Total alkalinity should be at least 80 ppm, and pH 7.87A. Add E-2 Clor pH UP or pH On-in as necessary to obtain correct reading.

2. Brush algae spots with a sulf bristle or wire elgae brush.

- Turn off pump and filter and allow water to saltin Filter should be ult for 2-t hours dwwng treatment.
- 4. Broudcast Granular Trichlor ever allected areas. The desage is 1 to 1% ounces per 1,000 gallons pool water.
- 5. After 2-4 hours, brush the affected areas again, and the algae should come toose. If any stubborn apote remain, repeal the Yealment on those areas.
- After treatment is complete and all granules are distanced, check the get and chiprine tealings. Pool water should be maintained at girl 7.2-7.6' and chiprine at 10-20 opm. Give shock doze, at the above rates whenever argae first becomes visible.

Note: Since Granular & Lobbi Is a strong estalling and blacking agents OO NOT USE IN PAINTED OR VINITE LINER POOLS.

Reentry. Reentry into treated swimming probleps is prohibited above levels of 3 ppm of chloring.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER: Highly corrosive. Causes shim and eye gamige. May be latel to
triallowed. Do not get in eyes, on shim or on clothing. West goggles or
lace shelds and rubber gloves when handling, Initiating to mose and throat.
And creating dues, Remove and wash conteminated clothing before revise.

816024-511

EPA REG. NO. 8791-11 EPA EST. NO. 3841-140-1 . 472-177-TH

PRACTICAL TREATMENT-FIL

soaked in milk, fellowed by a Immediately, If on the Skin; Brus cold water for at least 15 r water for at least 15 minutes. G

environmental nazards: Th

inio lakes, streams, ponds er pu NPOES Permil, Fer guidence, c

PHYSICAL AND CHEMICAL M Strong Osalizing Agent; Miz and not add Whi product in any diapo either product. Such use may co asplosion, Contomination with may may start a chemical reaction,

hazardous gases, and possible of contamination or decompositionistic contamination or decompositionistic contamination or contamination or contamination or contamination or contamination or contamination or contamination

by this age or designant.

#ISPOSELL Possesses unation are active
upon, pany moners, or relative in a vid
structure of the unit according to late
Environmenter Conveyt Agency, or the
EPA Regional Offices for glorience

CONTAINER DISPOSAL Company

of water, if necessary,
STORAGE AND DISPOSTORAGE from common highly tre
gardeness are they demonst on a

E-Z CLOR SYSTEMS
2445 Northline Industrial Blvd.
Maryland Heights, MO 63043 820154-905

Reg. No. 879 transferred

REST ME 14 " COTY