

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

51111-1
PM 15
174

5 NOV 1984

Mr. Lawrence Delaney
Pfeiffer LCP
43 N. Washington Street
P.O. Box 100
Wilkes-Barre, PA 18773

345 / 131145
17 / 5

Dear Mr. Delaney:

Subject: Amendment-Resubmission Increase Pyrethrin Content
EPA Registration No. 51111-1
Your Application Dated July 12, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide ACT (FIPRA) is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. The correct EPA Registration No. for this product is EPA Reg. No. 51111-1. This should appear on the final printed labeling for all container sizes.
2. Delete "General Classification" from the label as this product has not been classified.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

CONCURRENCES							
SYMBOL							
SURNAMI							
DATE							

TISIT 2 oz. label

2574

FRONT PANEL

NDC 0927-0147-39

TISIT

Kills head, pubic (crab), and body lice.

ACTIVE INGREDIENTS

Pyrethrins	0.300%
Piperonyl Butoxide, Technical (equivalent to 1.60% (butyl- carbityl) (6-propylpiperonyl) ether and 0.40% related compounds)	2.00%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

INACTIVE INGREDIENTS	97.70%
TOTAL	<u>100.00%</u>

NOV 5 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
and amendments, this pesticide
registered under EPA Reg. No.

51111-1

FOR EXTERNAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ACCOMPANYING CIRCULAR FOR ADDITIONAL PRECAUTIONARY STATEMENTS

2 FL. OZ.

60ML.

PFEIFFER

EPA REG. NO. 51111-1

EPA EST 51111PA 01

LEFT SIDE PANEL

DIRECTIONS FOR USE: Apply TISIT to affected area until hair is thoroughly wet with product. Allow TISIT to remain on area for 10 minutes, but no longer. Wash area thoroughly with warm water and soap or shampoo. A fine-toothed comb may be used to help remove dead lice or their eggs (nits) from hair. A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RIGHT SIDE PANEL

STORAGE AND DISPOSAL: Store at room temperature. Do not reuse empty container. Wrap empty container and place in trash collection.

WARNING: Use with caution on persons allergic to ragweed. Do not use near eyes or permit contact with mucous membranes. If product should get into the eyes, immediately flush with water. If skin irritation or infection is present or develops, discontinue use and consult a doctor.

PFEIFFER LCP Distr. Wilkes-Barre, Pa. 18703 USA

CUTTER

INSECT REPELLENT PUMP SPRAY

HOLD UPRIGHT WHEN SPRAYING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS CAUTION Harmful if swallowed. May cause eye irritation. Avoid contact with eyes, lips or open cuts.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center.

IF ON SKIN: May cause skin reactions in rare cases. If so, wash thoroughly with soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

DIRECTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Hold until 6 to 8 inches from skin or clothing while spraying, keeping sprayer pointed away from face. Slightly moisten skin or clothing; saturation is unnecessary. Apply on face by first spraying small amounts in palm of hand and spreading on face and neck. Prevent children from rubbing eyes if hands are treated with spray to repel chiggers, ticks and fleas; spray pant cuffs, socks and around openings in outer clothing. For maximum protection, on skin, spread by hand after application.


Will not damage nylon, cotton, wool. May damage some synthetic fabrics, plastics, leather, painted or varnished surfaces.

WARNING: FLAMMABLE Keep away from heat, sparks or open flame.

DISPOSAL: Do not reuse empty container. Wipe container and put in trash.

EPA Est. No. 13991 IN 1

EPA Reg. No. 121-27



16500 53644
MILES LABORATORIES, INC.
1804 MILES LABORATORIES, INC.
Household Products Div., Chicago, IL 60638 U.S.A. Member of the Pressure Protection's from Cutter

CUTTER

EVERGREEN SCENT

INSECT REPELLENT PUMP SPRAY

REPELS MOSQUITOES, CHIGGERS, GNATS, TICKS, FLEAS AND BITING FLIES.


ACTIVE INGREDIENTS: 32% N, N-Diethyl-methyl-m-toluamide 12.0%, Citral isomers 1.9%, Dimethyl phtalate 1.0%, Di-n-propyl-pyromethionate 1.0%, N-ethyl bicyclohexene di-carbamide 1.0%
INERT INGREDIENTS 68%

KEEP OUT OF REACH OF CHILDREN
CAUTION

READ LABEL CAREFULLY

NET WT. 4 FL. Oz. (120 ml.)

ACCEPTED
DEC 27 1984
(This is the Federal Insecticide, Fungicide, and Rodenticide Registration label for the pesticide registered under EPA Reg. No. 121-27)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

51111-1
PM 15
174

5 NOV 1984

Mr. Lawrence Delaney
Pfeiffer LCP
43 N. Washington Street
P.O. Box 100
Wilkes-Barre, PA 18773

345 / 131145
17 / 5

Dear Mr. Delaney:

Subject: Amendment-Resubmission ncrease Pyrethrin Content
EPA Registration No. 51111-1
Your Application Dated July 12, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide ACT (FIFRA) is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. The correct EPA Registration No. for this product is EPA Reg. No. 51111-1. This should appear on the final printed labeling for all container sizes.
2. Delete "General Classification" from the label as this product has not been classified.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

CONCURRENCES

SYMBOL							
SURNAME	<i>Stanley</i>						
DATE	<i>11/15/84</i>						

TISIT 2 oz. label

2074

FRONT PANEL

NDC 0927-0147-39

TISIT

Kills head, pubic (crab), and body lice.

ACTIVE INGREDIENTS

Pyrethrins	0.300%
Piperonyl Butoxide, Technical (equivalent to 1.60% (butyl- carbityl) (6-propylpiperonyl) ether and 0.40% related compounds)	2.00%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

INACTIVE INGREDIENTS	97.70%
TOTAL	<u>100.00%</u>

NOV 5 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No.

FOR EXTERNAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ACCOMPANYING CIRCULAR FOR ADDITIONAL PRECAUTIONARY STATEMENTS

2 FL. OZ.

60ML.

PFEIFFER

EPA REG. NO. 51111-~~1~~

EPA EST 51111PA 01

LEFT SIDE PANEL

DIRECTIONS FOR USE: Apply TISIT to affected area until hair is thoroughly wet with product. Allow TISIT to remain on area for 10 minutes, but no longer. Wash area thoroughly with warm water and soap or shampoo. A fine-toothed comb may be used to help remove dead lice or their eggs (nits) from hair. A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

51111-1

RIGHT SIDE PANEL

STORAGE AND DISPOSAL: Store at room temperature. Do not reuse empty container. Wrap empty container and place in trash collection.

WARNING: Use with caution on persons allergic to ragweed. Do not use near eyes or permit contact with mucous membranes. If product should get into the eyes, immediately flush with water. If skin irritation or infection is present or develops, discontinue use and consult a doctor.

PFEIFFER LCP Distr. Wilkes-Barre, Pa. 18703 USA

TISIT
INDICATIONS

For the treatment of head, pubic (crab), and body lice.

HEAD LICE: Head lice live on the scalp and lay small white eggs (nits) on the hair shaft close to the scalp. The nits are most easily found on the nape of the neck or behind the ears. All personal headgear, scarfs, coats, and bed linen should be disinfected by machine washing in hot water and drying, using the hot cycle of a dryer for at least 20 minutes. Personal articles of clothing or bedding that cannot be washed may be dry-cleaned or sealed in a plastic bag for a period of about 2 weeks. Personal combs and brushes may be disinfected by soaking in hot water (above 130°F for 5 to 10 minutes. Thorough vacuuming of rooms inhabited by infested patients is recommended.

PUBIC (CRAB) LICE: Pubic lice may be transmitted by sexual contact; therefore sexual partners should be treated simultaneously to avoid reinfestation. The lice are very small and look almost like brown or grey dots on the skin. Pubic lice usually cause intense itching and lay small eggs (nits) on the hair shaft generally close to the skin surface. In hairy individuals, pubic lice may be present on the short hairs of the thighs and trunk, underarms, and occasionally on the beard or mustache. Underwear should be disinfected by machine washing in hot water, then drying, using the hot cycle for at least 20 minutes.

BODY LICE: Body lice and their eggs are generally found in the seams of clothing, particularly in the waistline and armpit area. They move to the skin to feed, then return to the seams of the clothing where they lay their eggs. Clothing worn and not laundered before treatment should be disinfected by the same procedure as outlined for head lice, except that sealing clothing in a plastic bag is not recommended for body lice because the nits (eggs) from these lice can remain dormant for a period of up to 30 days.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes or clothing. Wash hands well with soap and warm water after use. Avoid contamination of food.

Printed in U.S.A.
1/83

PFEIFFER LCP Distr. Wilkes-Barre, Pa. 18703 USA

EPA REG. 51111-29

EPA EST 5111-Pa-01

51111-1 P1115

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

5 NOV 1984

Mr. Lawrence Delaney
Pfeiffer LCP
43 N. Washington Street
P.O. Box 100
Wilkes-Barre, PA 18773

345 / 131145
17 / 5

Dear Mr. Delaney:

Subject: Amendment-Resubmission Increase Pyrethrin Content
EPA Registration No. 51111-1
Your Application Dated July 12, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide ACT (FIFRA) is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. The correct EPA Registration No. for this product is EPA Reg. No. 51111-1. This should appear on the final printed labeling for all container sizes.
2. Delete "General Classification" from the label as this product has not been classified.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

CONCURRENCES

SYMBOL							
SURNAME	<i>[Signature]</i>						
DATE	<i>11/14/84</i>						

100% 20% 7
E = 5111-1 P 1 5
TISIT 2 oz. label

FRONT PANEL

NDC 0927-0147-39

TISIT

Kills head, pubic (crab), and body lice.

ACTIVE INGREDIENTS

Pyrethrins	0.300%
Piperonyl Butoxide, Technical (equivalent to 1.60% (butyl- carbityl) (6-propylpiperonyl) ether and 0.40% related compounds)	2.00%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

INACTIVE INGREDIENTS	97.70%
TOTAL	<u>100.00%</u>

NOV 5 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5111-1

FOR EXTERNAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ACCOMPANYING CIRCULAR FOR ADDITIONAL PRECAUTIONARY STATEMENTS

2 FL. OZ.

60ML.

PFEIFFER

EPA REG. NO. 51111-~~1~~1

EPA EST 51111PA 01

LEFT SIDE PANEL

DIRECTIONS FOR USE: Apply TISIT to affected area until hair is thoroughly wet with product. Allow TISIT to remain on area for 10 minutes, but no longer. Wash area thoroughly with warm water and soap or shampoo. A fine-toothed comb may be used to help remove dead lice or their eggs (nits) from hair. A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RIGHT SIDE PANEL

STORAGE AND DISPOSAL: Store at room temperature. Do not reuse empty container. Wrap empty container and place in trash collection.

WARNING: Use with caution on persons allergic to ragweed. Do not use near eyes or permit contact with mucous membranes. If product should get into the eyes, immediately flush with water. If skin irritation or infection is present or develops, discontinue use and consult a doctor.

PFEIFFER LCP Distr. Wilkes-Barre, Pa. 18703 USA

**TISIT
INDICATIONS**

For the treatment of head, pubic (crab), and body lice.

HEAD LICE: Head lice live on the scalp and lay small white eggs (nits) on the hair shaft close to the scalp. The nits are most easily found on the nape of the neck or behind the ears. All personal headgear, scarfs, coats, and bed linen should be disinfected by machine washing in hot water and drying, using the hot cycle of a dryer for at least 20 minutes. Personal articles of clothing or bedding that cannot be washed may be dry-cleaned or sealed in a plastic bag for a period of about 2 weeks. Personal combs and brushes may be disinfected by soaking in hot water (above 130°F for 5 to 10 minutes). Thorough vacuuming of rooms inhabited by infested patients is recommended.

PUBIC (CRAB) LICE: Pubic lice may be transmitted by sexual contact; therefore sexual partners should be treated simultaneously to avoid reinfestation. The lice are very small and look almost like brown or grey dots on the skin. Pubic lice usually cause intense itching and lay small eggs (nits) on the hair shaft generally close to the skin surface. In hairy individuals, pubic lice may be present on the short hairs of the thighs and trunk, underarms, and occasionally on the beard or mustache. Underwear should be disinfected by machine washing in hot water, then drying, using the hot cycle for at least 20 minutes.

BODY LICE: Body lice and their eggs are generally found in the seams of clothing, particularly in the waistline and armpit area. They move to the skin to feed, then return to the seams of the clothing where they lay their eggs. Clothing worn and not laundered before treatment should be disinfected by the same procedure as outlined for head lice, except that sealing clothing in a plastic bag is not recommended for body lice because the nits (eggs) from these lice can remain dormant for a period of up to 30 days.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes or clothing. Wash hands well with soap and warm water after use. Avoid contamination of food.

Printed in U.S.A.
- • 1/83

PFEIFFER LCP Distr. Wilkes-Barre, Pa. 18703 USA

EPA REG. 51111-29

EPA EST 5111-Pa-01

Box # 5111-1 #11 15

FRONT PANEL

NDC 0927-0147-39

TISIT

Kills head, pubic (crab) and body lice.

BEST AVAILABLE COPY
BEST COPY

ACTIVE INGREDIENTS

Pyrethrins	0.300%
Piperonyl Butoxide, Technical (equivalent to 1.60% (butyl- carbityl) (6-propylpiperonyl) ether and 0.40% related compounds)	2.00%

INACTIVE INGREDIENTS 97.70%

TOTAL 100.00%

SPECIAL COMB INCLUDED (AIDS IN EGG REMOVAL)

FOR EXTERNAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

2 FL. OZ. 60 ML.

PFEIFFER EPA REG. NO. 5111-29 EPA EST 5111-PA-01

BACK PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes or clothing. Wash hands well with soap and warm water after use. Avoid contamination of food.

INDICATIONS: For the treatment of head, pubic (crab), and body lice.

DIRECTIONS FOR USE: Apply TISIT to affected area until hair is thoroughly wet with product. Allow TISIT to remain on area for 10 minutes, but no longer. Wash area thoroughly with warm water and soap or shampoo. A fine-toothed comb may be used to help remove dead lice or their eggs (nits) from hair. A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

GENERAL CLASSIFICATION

Page 2 of 7 T.O.# 2111-1 PD, 15

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Store at room temperature. Do not reuse empty container. Wrap empty container and place in trash collection.

WARNINGS: Use with caution on persons allergic to ragweed. Do not use near eyes or permit contact with mucous membranes. If product should get into eyes, immediately flush with water. If skin irritation or infection is present or develops, discontinue use and consult a doctor.

PFEIFFER LCP. Distr. Wilkes-Barre, Pa. 18703 USA

BEST AVAILABLE COPY

No. 5111-1 P. 13

TISIT
INDICATIONS

For the treatment of head, pubic (crab), and body lice.

HEAD LICE: Head lice live on the scalp and lay small eggs (nits) on the hair shaft close to the scalp. The nits are most easily found on the nape of the neck or behind the ears. All personal headgear, scarfs, coats, and bed linen should be disinfected by machine washing in hot water and drying, using the hot cycle of a dryer for at least 20 minutes. Personal articles of clothing or bedding that cannot be washed may be dry-cleaned or sealed in a plastic bag for a period of about 2 weeks. Personal combs and brushes may be disinfected by soaking in hot water (above 30°F) for 5 to 10 minutes. Thorough vacuuming of rooms inhabited by infested patients is recommended.

PUBIC (CRAB) LICE: Pubic lice may be transmitted by sexual contact; therefore sexual partners should be treated simultaneously to avoid reinfestation. The lice are very small and look almost like brown or grey dots on the skin. Pubic lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface. In hairy individuals, pubic lice may be present on the short hairs of the thighs and trunk underarms, and occasionally on the beard or mustache. Underwear should be disinfected by machine washing in hot water, then drying, using the hot cycle for at least 20 minutes.

BODY LICE: Body lice and their eggs are generally found in the seams of clothing, particularly in the waistline and armpit area. They move to the skin to feed, then return to the seams of the clothing where they lay their eggs. Clothing worn and not laundered before treatment should be disinfected by the same procedure as outlined for head lice, except that sealing clothing in a plastic bag is not recommended for body lice because the nits (eggs) from these lice can remain dormant for a period of up to 30 days.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes or clothing. Wash hands well with soap and warm water after use. Avoid contamination of food.

Printed in U.S.A.
1/84

PFEIFFER LCP Distr. Wilkes-Barre, Pa. 18703 USA
EPA REG 51111-29

EPA EST 5111-PA01

BEST AVAILABLE COPY