

FRONT PANEL

NDC 0927-0147-12

TISIT

Kills head, pubic (crab), and body lice.

ACTIVE INGREDIENTS

Pyrethrins	0.300%
Piperonyl Butoxide, Technical (equivalent to 1.60% (butyl- carbityl) (6-propylpiperonyl) ether and 0.40% related compounds)	2.00%

INACTIVE INGREDIENTS 97.70%

TOTAL 100.00%

FOR EXTERNAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

4 FL. OZ.

120 ML

PFEIFFER

LEFT SIDE PANEL

DIRECTIONS: Apply Tisit to affected area until hair is thoroughly wet with product. Allow Tisit to remain on area for 10 minutes, but no longer. Wash area thoroughly with warm water and soap or shampoo. A fine-toothed comb may be used to help remove dead lice or their eggs (nits) from hair. A second treatment must be made in 7 to 10 days to kill any newly hatched lice. Treatment should be limited to no more than two consecutive applications within 24 hours.

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes or clothing. Wash hands well with soap and water after use. Avoid contamination of food. When Tisit is applied, all clothing must be sterilized in order to prevent reinfestation with body lice.

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 14 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5111-1

BEST AVAILABLE COPY

TISIT 4 OZ. CARTON

FRONT PANEL
NDC 0927-0147-12
(2 applications)

TISIT

Kills head, pubic (crab), and body lice.

SPECIAL COMB INCLUDED (AIDS IN EGG REMOVAL)

FOR EXTERNAL USE ONLY


KEEP OUT OF REACH OF CHILDREN

) CAUTION

4 FL. OZ.

120 ML

PFEIFFER



INDICATIONS: For the treatment of head, pubic (Crab), and body lice.

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes or clothing. Wash hands well with soap and water after use. Avoid contamination of food.

DIRECTIONS: Apply Tisit to affected area until hair is thoroughly wet with product. Allow Tisit to remain on area for 10 minutes, but no longer. Wash area thoroughly with warm water and soap or shampoo. A fine-toothed comb may be used to help remove dead lice or their eggs (nits) from hair. A second treatment must be made in 7 to 10 days to kill any newly hatched lice.

STORAGE AND DISPOSAL: Store at room temperature. Do not reuse empty container.

WARNING: Use with caution on persons allergic to ragweed. Do not use near eyes or permit contact with mucous membranes. If product should get into the eyes, immediately flush with water. If skin irritation or infection is present or develops, discontinue use and consult a doctor.

Keep out of reach of children. In case of accidental ingestion, call for assistance or contact a Poison Control Center immediately.

Pharmaceuticals, Inc. EPA Reg. No. 5111 EPA-171
187339