US ENVIRONMENTAL PROTECTION ÁGENCY 51160-2 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVIS. N (TS-767) WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REPRESISTRATION REREGISTRATION Clear Brook Bacteriostatic Water (Under the Federal Insecticide, Fungicide, Treatment Unit Model 200 and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) г Clearbrook Laps, Inc. P.O. Box 172 Foley, AL 36536 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the Jabel in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(h) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. Make the labeling changes listed below before you release the product for shipment: Add the phrase "EPA Registration No. 51160-2." Delete the words "GENERAL CLASSIFICATION." c. Correct the spelling of ingredient in both headings of the

ingredient statement on the label.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further

1.1157 - 8.

EPA REGISTRATION

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

PA Form \$570.4 (Day, \$176)


description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee Product Manager (31) Disinfectants Branch Registration Division (TS-767C)

Enclosures





DEFENSION OF THE SECOND SECOND

## MAY 1 2 1986

Under the leads of its cancille, Pungicide, and Rodentscale Act
as amended, for the posticide registered under EPA Reg. No.

### BAR TAP Unit

#### Model 200

# DIRECTION FOR USE GENERAL CLASSIFICATION

"It is a violation of Federal law to use this product in a manner inconsistent with its labeling."

Once unit has been installed as per instructions it should be maintenance free, and no filter cartridges to replace.

This Unit has a capacity of 10,000 gallons. It is capable of treating 5.5 gallons of cold tap water daily for a period of five (5) years. Towards the end of the five (5) years you will notice a diminishing water flow. This will indicate that the unit is nearing the end of it's useful life.

This unit is only to be used in conjunction with municipally treated water in the home.



#### Installation Instructions:

- 1. Unpack contents:
  - a. Bacteriostatic Bar Tap Water Treatment Unit
  - b. Saddle Valve
  - c. Tubing with 1/4 inch fittings.(2)
  - d. Touch-Flo Bar Tap assembly.
- 2. Secure 1/2 inch hole for bartap, if needed,
- 3. Attach Saddle Valve to cold water line.
- 4. Attach tubing to SADDLE VALVE and to inlet on UNIT.
- 5. Attach second tubing section to outlet on UNIT and to BAR TAP ASSEMBLY
- 6. TIGHTEN ALL FITTINGS LIGHTLY!
- 7. Puncture cold water line, with SADDLE VALVI.

NEEDLE, CHECK FOR LEAKS.

NOTE: Flow rate has been preset at the factory not to exceed 3/4 gallon per minute.

Pressure on municipal water systems vary greatly. Flow through your units should be controlled by your yarkap handle. The slower the water passes through your unit, the better it is cleaned.

DISPOSAL: Wrap spent unit in newspaper and discard with your trash.

ClearBrook Labs, Inc. P.O.Box 172, Foley, Al. 36536