

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 17 1997

The RectorSeal Corporation
2830 Produce Row
Houston, Texas 77023

Subject CWT-BB12
EPA Registration No 51219-2
Your Application of November 7, 1996

Attn David Bell
Technical Director

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, provided that you make the following change

Re use your "Environmental Hazards" statement to read

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewage systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water or Regional Office of the EPA.

A stamped copy is enclosed for your records. Submit one (1) copy of finished printed label before this product is released for shipment.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

If you have any question about the comments in this letter you should con Drusilla Copeland at (703) 305-6938.

Sincerely,

WAT

for

Vivian A. Turner
Product Manager (32)
Antimicrobial Program Branch
Registration Division (7505C)

Enclosure

393

CWT - BB12

CONTROLS ALGAE, FUNGI, AND BACTERIAL SLIME IN COOLING TOWERS AND EVAPORATIVE CONDENSERS

CONTENTS: 5 US GALLONS (18.9 LITERS)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes skin and eye irritation. Do not get in eyes. Avoid contact with skin and clothing. Wash contaminated skin promptly with soap and water. Avoid contact with food. **KEEP OUT OF REACH OF CHILDREN.**

DISPOSAL:

Do not reuse empty container. Wrap container and put in trash collection.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician immediately.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin or clothing: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with labeling. CWT-BB12 is placed in the sump of the water cooling tower to control algae, bacteria and fungi in recirculating commercial and industrial towers. Before using, clean strainers and remove spray nozzle restrictions. Clean the rest of the system thoroughly by mechanical means or with Liquid Descalit or Dri-Descalit acids to remove algal growth, microbiological slime and other deposits. Be sure to remove all acid from the system before using CWT-BB12. When dosage is determined, run the circulating pump for 24 hours or longer with regular bleed. Then drain and flush out all organic material. Faster results can be achieved if it is possible to close the bleed valve for a period of time.

DOSAGE: An initial slug of 8 to 20 fluid ounces is recommended per 1000 gallons of water. It will provide a CWT-BB12 concentration of 64 to 160 parts per million, based upon the total weight of the water in the system. Subsequent slug additions of 2 to 20 fluid ounces, on the same basis, will provide a concentration of 16 to 160 parts per million. This should be repeated every 2 to 5 days or as often as necessary until control is achieved. The frequency is dependent upon bleed-off rate and the severity of the microbiological problem.

If water content is not know, use the following chart as an approximation of dosage, repeating until control is achieved.

CAPACITY IN TONS	INITIAL SLUG (Fl. Oz.)	SUBSEQUENT SLUGS (Fl. Oz.)
10	4.8 to 12	1.2 to 12
25	12 to 30	3 to 30
50	24 to 60	6 to 60
100	48 to 120	12 to 120

Active Ingredient:
 Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride] 7.5%
 Inert Ingredient: 92.5%
 100%

E.P.A. Reg No 51219-2 E.P.A. Est No. 51219-N.Y.-1

J-95

Manufactured in U.S.A.

STEWART HALL

DIV. OF THE HECTORSEAL CORP.
MOUNT VERNON, NY - HOUSTON, TX


FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTEC - DAY OR NIGHT 1-800-424-9300

For additional information, refer to Material Safety Data Sheet.

For Limited Warranty, refer to Product Data Sheet.

Product Code No. 88882

For Additional Technical Information
Call Toll Free 1-800-231-3345



96 DEC -9 P2:10

RECU... DPD1

CWT-BB12 has been accepted by the U.S. Dept. of Agriculture for use in official establishments operating under the Federal Meat Quality Control and Inspection Program.

COATED
CONTENTS
EPA Label
JAN 17 1997

10-28-96
blue 300
EPA Label
51219-2