08-08-2011

Scott Kerns The RectorSeal Corporation Manager of Safety and Enviromental/Regulatory Affairs 2601 Spenwick Drive Houston, Texas 77055-1035

UNITE

SUBJECT:

ACTABS EPA Registration Number: 51219-3 Application Dated: May 4, 2011 Receipt Date: May 10, 2011

Dear Mr. Kerns:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with comments.

• Updating First Aid Statement as required by PR Notice 2001-1 and in response to New-York DEC letter dated April 26, 2011.

## Conditions

- 1. Revise the Precautionary Statement to include the following: "... Wash thoroughly with soap and water after handling and before eating, drinking, *chewing gum*, using tobacco *or using the toilet*".
- 2. Revise the First Aid section by adding: "Note to Physician; Probable mucosal damage may contraindicate the use of gastric lavage" as the final statement.

## **General Comments:**

The stamped copy of your label is attached. Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0109 or Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble


Product Manager (31)

		Regulatory Management Branch I							
CONCURRENCES icrobials Division (7510P)									
SYMBOL							, , , , , , , , , , , , , , , , , , ,		
		· · · · · · · · · · · · · · · · · · ·					**************		
DATE								****************	

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY



<u>2</u> 

ງ **ງ** ວ່າ ອ ວ່ວວອອອອ

DIFECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Remove inner package containing tablets from outer plasito bag. Place the package, holes down and tablets facing up, into drain pan at a point as far from the drain hole as possible. Be sure that the single tablet at one end of the package is farthest from the drain hole. In extremely dirty pans it would be helpful to clean the pan before placing the package. The dirt might block the opening in the bottom of the package and inhibit metering of the ACTABS®. Use one package for each 2 square feet of drain pan area. Replace pouch when tablets have dissolved

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Corrosive. Causes irreversible eye damage and skin irritation. Do not get in eyes or on clothing. Harmful if swallowed. Wear (goggles, face shield, or safety glasses). Wash thoroughly with scap and water after handling. Remove contaminated clothing and wash clothing before reuse.

IF IN EVES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a Polson

Control Center or doctor for treatment advice. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to o so by a Poison control Center or doctor. Do not give anything by muchonacious person. Have the product container or label with you when calling a poison control center or doctor or going for treatment. Note to Physician: Probable mucosal damage may contraindicate use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

<b>L</b> .	Material Safety Uata Sheet E.P.A. Reg. No. 51219-3 E.P.A. Est. No. 51219-N.Y1
Active ingrediants: n-Alkyl (98% C12, 2 & C14) dimethyl I-naphthylmethyl ammonium chloride monohydrate	FIRE RECTORSEAL RECTORSEAL C- 2601 Spenwick Dr Houston, TX 77055, USA E www.rectorseal.com, TX 77055, USA E
Active ingredients: n-Aikyl (98% C12, 2, C14) dime Inert Ingredients	FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - L-04 DAY OR NIGHT 1-800-424-9300

çı F

;