

P. 03/05
1 760 599 6965
WESTBRIDGE AGRICULTURAL
OCT-20-2005 13:28

SOIL TRIGGRR

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACCEPTED
OCT 20 2005
Soil TRIGGRR
1517-3

MIXING INSTRUCTIONS

Soil TRIGGRR is water soluble and suitable for use in conventional liquid application systems. Thoroughly shake Soil TRIGGRR and dilute in sufficient water to assure adequate and even coverage. Adjust alkaline dilution water (pH greater than 7) to pH 6 prior to adding Soil TRIGGRR. Agitate the tank mixture during application and use within 12 hours after dilution. For best results use Soil TRIGGRR with a full fertilization program.

COMPATIBILITY

Apply Soil TRIGGRR at the end of the water application in sufficient water to penetrate into the root zone without excessive leaching into deeper soil. Soil TRIGGRR may be tank mixed with herbicides, insecticides, fungicides, nematocides, and fertilizers, or impregnated on granular fertilizers. Add Soil TRIGGRR last to the spray tank mixes containing other fully diluted chemicals. Test the compatibility of the intended tank mixture before use. For use with fertilizers containing a high phosphorous analysis, add one gallon of water to the spray tank for each three gallons of fertilizer, and add a buffer/compatibility agent prior to adding Soil TRIGGRR. The following procedures may be helpful in the event of incompatibility:

- Pre dilute Soil TRIGGRR in 5 gallons of water before adding to the spray tank.
- Increase the amount of water per acre to be applied.
- Add a buffer/compatibility agent to the spray tank.

CHEMIGATION

Apply this product only through sprinkler, including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move, and drip (trickle) irrigation systems. Do not apply this product through any other type of irrigation system. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

If you have questions about calibration, contact State Extension Service specialists, equipment manufacturers or other experts.

Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

Chemigation system connected to public water systems: Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.

Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone, backflow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside

FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

HOT LINE NUMBER: For more information call 1-800-876-2767 Monday-Friday 8-5 PST. After hours, weekends, or holidays call 1-800-222-1222, the National Poison Control Center.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through skin. Avoid breathing spray mist and contact with skin, eyes, or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and others handlers must wear

- Long sleeved shirt and long pants
- Shoes plus socks
- Water proof gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal

1517-3
P. 03
98%
10/20/05
1 760 599 6965
OCT-20-2005 17:22
1/4

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Exposed treated seeds may be hazardous to birds and other wildlife.

Do not use treated seed for food, feed or oil purposes. Treat only those seeds needed for immediate use and planting. Do not store excess treated seed beyond planting time. Dispose of all excess treated seed and seed packaging by burial away from streams and bodies of water, either directly or through drift. Only protected handlers may be in the area during application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

EXCEPTION: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof Gloves
- Shoes plus socks

FOR USE ON:

FIELD CROPS: Alfalfa, Corn (and Popcorn), Cotton, Peanuts, Sorghum, Soybeans, Wheat.

FRUITS: Apples, Bananas, Grapes, Oranges, Peaches, Plantains, Strawberries

VEGETABLES: Beans (also includes Black-eyed Peas, Cajang, Chick Peas, Cowpeas, Crowder Peas, Garbanzo Beans, Southern Peas), Broccoli, Cabbage, Carrots, Cauliflower, Celery, Corn (Sweet), Cucumber, Eggplant, Garlic, Leeks, Lettuce, Melons, Okra, Onions, Peas, Peppers, Potatoes, Pumpkins, Radishes, Shallots, Spinach, Squash, Sweet Potatoes, Tomatoes, Yams.

NON-FOOD CROPS: Ornamentals, Trees, Turf.

water from the public water system should be discharged into a reservoir with (1) no pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock. Agitate the pesticide supply tank throughout the application of Soil TRIGRR. Do not apply when wind speed favors drift beyond the area intended for treatment.

Sprinkler chemigation: The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional, normally closed solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functionally interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected. Systems must use a metering pump, such as a positive displacement injection pump (i.e., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock. Agitate the pesticide supply tank throughout the application of Soil TRIGRR. Do not apply when wind speed favors drift beyond the area intended for treatment.

Drip (trickle) chemigation: The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

h/2

10-20-05



TRIGGRR

Plant Growth Regulator

GENERAL INFORMATION

Soil TRIGGRR is a plant growth regulator for use on agronomic and horticultural crops. Applied as a supplement to a cultural program at specific stages of plant development, Soil TRIGGRR improves seedling vigor, crop quality, uniformity and growth.

Use Soil TRIGGRR to...

Improve germination and growth of small seeded crops (for example alfalfa, direct seeded onion, carrots and cucumbers).

Promote improved root growth and nodulation in legumes.

Promote early seedling vigor and the ability of a plant (for example bell peppers and tomatoes) to set and carry a crop to maturity.

Improve lateral tuberous root growth (sweet potatoes), improve initiation growth and maturity of tubers and ornamental bulbs providing a more uniform crop, and increase specific gravity (potatoes) and number of tubers.

Promote rooting and growth of ornamental varieties from slips or cuttings.



APPLICATION GUIDE

Keep Out of Reach of Children
CAUTION

See booklet for additional precautionary statements.

Active Ingredient:	
Cytokinin (as Kinetin)	0.004%
Other Ingredients	99.996%
Total	100.000%

EPA Reg. No. 51517-3



Agricultural Products
1150 Joshua Way • Vista, CA 92081 USA

Systems must use a metering pump, such as a positive displacement injection pump (i.e., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock. Apply Soil TRIGGRR in sufficient water to penetrate into the root zone without excessive leaching into deeper soil.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store Soil TRIGGRR in a cool place out of reach of direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning; if burned, stay out of smoke.

NOTICE OF WARRANTY

Westbridge warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Westbridge. Westbridge makes no warranties of merchantability or fitness for a particular purpose nor any other expressed or implied warranty except as stated above.

WESTBRIDGE AGRICULTURAL 1 760 599 6965 13-23

TOTAL P.05 P.05 98% 1 760 599 6965 OCT-20-2005 17:22 h/c

Front Panel

10-00-05

SOIL

TRIGGRR®


Plant Growth Regulator

Active Ingredient:
Cytokinin (as kinetin) 00.004%*
Other Ingredients: 99.996%
*Based on biological activity

EPA Reg. No. 51517-3

Net Contents: 1 U.S. Gallon

**SHAKE
WELL
BEFORE
USING**



Keep Out of Reach of Children

CAUTION

FIRST AID: Refer to supplemental labeling entitled **APPLICATION GUIDE** for precautionary statements and directions for use.

CHEMIGATION: Refer to supplemental labeling entitled **APPLICATION GUIDE** for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on chemigation allows it.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. Refer to supplemental labeling entitled **AGRICULTURAL USE REQUIREMENTS** in the **DIRECTIONS FOR USE** section of the labeling for information about this standard.

Manufactured by
 **Westbridge**
Agricultural Products
1150 Joshua Way - Vista, CA 92081
(800) 876-2767
www.westbridge.com

h/h

OCT-20-2005 13:28 WESTBRIIDGE AGRICULTURAL 1-760-599-5965