


Foliar TRIGGRR™

Foliar TRIGGRR is a cultured biological product containing a complex mixture of plant growth regulators and organic and inorganic compounds. It is designed to increase cotton yields.



BIOCHEMICAL PLANT GROWTH REGULATOR DESIGNED
TO INCREASE COTTON YIELDS

ACTIVE INGREDIENTS:
Cytokinin (as kinetin).....0.012%*
Gibberellic Acid0.0007%
INERT INGREDIENTS:.....99.9873%

*based on biological activity

CAUTION: KEEP OUT OF REACH OF CHILDREN


IMPORTANT:
Store below 105° and above freezing. LOT NO.
MIX WELL BEFORE USING.

WESTBRIDGE AGRICULTURAL PRODUCTS
9920 Scripps Lake Drive, Suite 103
San Diego, California 92131

EPA EST. NO.
EPA REG. NO.

Distributed by:

NET VOLUME: 1 U.S. Gallon
NET WEIGHT: 9.08 lbs



NOTICE OF WARRANTY

Westbridge Agricultural Products warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of Westbridge. In no case shall Westbridge be liable for consequential, special or indirect damages resulting from the use or handling of this product. WESTBRIDGE makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with the label.

COTTON

Foliar TRIGRR can be applied with any conventional spray equipment that insures a fine mist coverage of the plant foliage. For ground rig application, dilute Foliar TRIGRR in a maximum of 10 gallons of water per acre; for aerial application, use a minimum of 3 gallons of water per acre.

- Amount: 8 ounces per acre in a single application or 4 split applications of 2 ounces per acre each.
- Timing: Pinhead square to full bloom.
- Compatibilities: Foliar TRIGRR has been successfully tank-mixed with mequiat chloride, fenvalerate and chlordimeform. No incompatibilities are known to exist.

STORAGE AND DISPOSAL

STORAGE: Foliar TRIGRR should be stored in a cool place, out of direct sunlight. Temperatures below freezing or above 105°F will cause deterioration of the product.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent) plastic containers. Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PRECAUTIONARY STATEMENTS
ENVIRONMENTAL HAZARDS**

Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.