

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

51533-1

DATE OF ISSUANCE

MAY 2 1986

TERM OF ISSUANCE

CONDITIONAL

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Spray Oil E

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

AutoLine Lubricants, Inc.
900 South Caroline Street
Baltimore, MD 21231

161727
15/03
160

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 51533-1."
 - b. In your Statement of Practical Treatment revise the If Swallowed section to read:

Do not induce vomiting because of aspiration hazard.
Call a physician.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Lawrence J. Schaubelt

DATE

MAY 2 1986

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP	INSECT CONTROL AND	Application Rate BE Gallons per 100 Gallons of Dilute Spray	Time of Application (Stage of Development)
APPLES	Apple Red Bug	2	Dormant
	European Fruit Lecanium Scale	2	Dormant
	Fruit Tree Leaf Roller	3	Dormant
	European Red Mite	2	Green Top to Delayed Dormant
	San Jose Scale	2	Delayed Dormant
PEARS	Fruit Tree Leaf Roller	3	Dormant
	Pear Leaf Blister Mite	3	Dormant
	Pear Psylla	2	Late Dormant
PEACHES	Obscure Scale	3	Dormant
PEACHES & PRUNES	European Red Mite	2	Dormant to Delayed Dormant
	European Fruit Lecanium Scale	2	" Green
SHADE TREES	Spider Mites	3	Dormant
	Scales	2	Summer
	Certain Caterpillars		
ORNAMENTALS	Plant Bugs	3	Dormant
		2	Summer
SHRUBS	Same As Trees	3	Dormant
SWEET CORN	Ear Worms	2	Summer
	Fall Army Worm		Spring early
SUGAR BEETS	Mites	2 gal/acre	As Needed
	Leaf Miner		

CROP	% of Gallons of BE per 100 Gallons of Water	Chemical or Pesticide	Full Bloom
CITRUS Scales, Green (long) chaff purple red yellow snow brown soft scale California red scale	10-13		March & April
	10-13		March & April
	10-13		
	13-16		
Scales listed above and rust mite, greasy spot & sooty mold (Florida only) California red scale	05-07		Summer (June July 15)
	05-07		
	05-07		
	05-09		
Scale mites in full bloom for bud, greasy spot, and sooty mold (Florida only)	10-13		Summer (June July 15)

*Add Zinc or Ethionazole as listed above for rust mite



ACCEPTED
with COMMENTS
in EPA Letter Dated:

ACTIVE INGREDIENT Under the Federal Insecticide, Fungicide, and Rodenticide Act . . . 38.8%
 PARAFFINIC OIL . . . Fungicide, and Rodenticide Act . . . 38.8%
 INERT INGREDIENT as amended, for the pesticide
 EMULSIFIER registered under EPA Reg. No. 1.2%
 Unsulfonated Residue . . . 515.33 92% min.
 Flash Point 245F min.
 Weight per Gallon 7.1 lbs.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: KEEP OUT OF REACH OF CHILDREN
 Harmful if swallowed. Avoid breathing of spray mists or vapors. Wash hands after using. Avoid contamination of food or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT
 If Swallowed: Do Not Induce Vomiting.
 If On Skin: Wash With Soap and Water
 If In Eyes: Flush With Water

ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

- STORAGE AND DISPOSAL**
1. Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
 2. Pesticide Disposal: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.
 3. Container Disposal: Triple rinse or equivalent. Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

EPA REG. NO
 EPA-EST No.
 55 U.S. GALLONS

AUTOLINE LUBRICANTS INC
 BALTIMORE, MD 21231

USES

1. For use as a carrier for P through a mist blower or col
2. May be used with Ethion of insecticidal action.
3. May be used with permeth
4. May be used in tank mix with plums, prunes, peaches, sw
5. May be used in tank mix with plums, prunes, peaches, pear trees and shrubs, citrus (ora
6. May be used as a spreader organic insecticides applied buildings

*Note: Supracide and Parathion Posticides.

CONTROLS

A wide range of mite and insect spider and aridphyd mites, bugs, psyllids, whiteflies, spid worms, caterpillars, plant gids. Will kill other immature

CAUTION

Keep of container tightly closed. water. All horticultural oils in tion and respiration during th apply during periods of drought stress. Do not use in comb or after spraying with decton Captan, Folpot, Dyrene, Ka. product containing sulfur. A dimate.

TANK MIXES

It is important for users to re restrictions on the labels of ORNAMENTAL PLANTS
 Oil might remove the glaucu greens as Colorado blue spr caution & reduced dosage fo Red Maple, Amber Maple & l reduce dosage for dormant Redbud

CITRUS

Oils applied after October m applied in August and Septe retard color

TIMING THE TREATMENT

You must determine the pre climatic conditions.

MIXING DIRECTIONS

Add sufficient water to the regulation. Mexican agitation posticides are to be added, been thoroughly mixed.

TERMS

Seller's guarantee shall be subject thereto the buyer's conditions. Time and meth conditions, mixtures with of recommended, and other in product are beyond the con