



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

January 24, 2012

Greg S. Francis
Safety & Regulatory Compliance
Sentry Industries, Inc.
5687 NW 36th Avenue
Miami, FL 33142

Subject: Notification Application per PR Notice 98-10
Sta Clear Liquid Chlorinator
EPA Registration Number: 51549-3
Application Date: January 6, 2012
EPA Receipt Date: January 13, 2012

Dear Mr. Francis:

This acknowledges receipt of the above notification application, submitted under the provision of PR Notice 98-10, FIFRA 3(c)9.

Proposed Notifications:

- Correction company name on label to read: SENTRY INDUSTRIES, INC.
- Submission of final printed label.

General Comments:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable. A copy of the accepted notification has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Adam Heyward via email at heyward.adam@epa.gov or by telephone at (703) 347-0274 during the hours of 6:00 am to 2:30 pm EST.

Sincerely,

Monisha Harris
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

287

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060

Print Form

 United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 51549-3	2. EPA Product Manager Monisha Harris	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Sta Clear Liquid Chlorinator	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Sentry Industries Inc. 5687 NW 36th Ave Miami, FL 33142 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input checked="" type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

To correct company name on label to read "Sentry Industries, Inc."
 Request NPIRS database be corrected to reflect all approved products be listed under Sentry Industries Inc. not Sentry Industries without the "Inc".

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
* Certification must be submitted If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container		<input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container Bulk		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Greg S. Francis	Title Regulatory Compliance	Telephone No. (Include Area Code) 305-638-0800
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment, both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Safety & Regulatory Compliance	
4. Typed Name Greg S. Francis	5. Date 1/6/2012	



SENTRY INDUSTRIES


3/4

January 6, 2012

US Environmental Protection Agency,
Attn: Tom Luminello, PM Team 32 (7510-P)
Antimicrobials Division @ Potomac Yard South
1200 Pennsylvania Ave. N.W.
Washington, D.C. 20460

1. **Submitter:** Sentry Industries Inc.
5687 NW 36th Avenue
Miami, FL 33142
2. **Pesticide Application:** Sta Clear Liquid Chlorinator
Registration # 51549-3
MRID Master Record #484708-00
3. **Transmitted Data:**
 - a. Registration Notification
 - b. Revised Final Label (two)

Company Official: Greg S. Francis, Safety & Regulatory Compliance


Signed: 

Company Name: Sentry Industries Inc.

Company Contacts: S.W. Sidelko, Gary Koen, Greg Francis or Ana Gonzales

Phone: 305-638-0800

5687 N.W. 36th Avenue, Miami, Florida 3142
Telephone 305-638-0800 FL WATS 800-227-2047
Broward 954-527-4000 FAX 305-638-2501
www.sentryindustries.net



44

Sta Clear™ LIQUID CHLORINATOR

ACTIVE INGREDIENTS:	
SODIUM HYPOCHLORITE	10.5%
OTHER INGREDIENTS	89.5%
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS

DANGER - Corrosive. Causes skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not reenter until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, ocean or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the E.P.A.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. **NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION: For a new pool or spring start-up, superchlorinate with 62 to 124 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 and 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by feeder device 13 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend on temperature and number of swimmers. Every 7 days, or as necessary, superchlorinate the pool with 62 to 124 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm. At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage and disposal. **PESTICIDE STORAGE:** Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer.

PESTICIDE DISPOSAL: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: REFILLABLE CONTAINER - Refill this container with Sodium Hypochlorite only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. Cleaning the container before final disposal is the responsibility of the person disposing of the container. If disposing of refillable container, offer for recycling if available or place in trash collection.

CONTAINER CLEANING: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Manufactured by:



SENTRY INDUSTRIES, INC.
P.O. Box 470667
MIAMI, FLORIDA 33147-0667

EPA REG. NO. 51549-3
EPA EST. NO. 51549-FL-1

BULK STORAGE

NOTIFICATION
Date Reviewed: 1/24/2012
Reviewed By: C. J. Hayward