

10F5
PM31
51557-2

JUL 01 1987

ChemLink Petroleum
3801 West Chester Pike
Newtown Square, PA 19073

Attention: Lloyd Betow

Gentlemen:

Subject: OPC® B-615 Industrial Microbiocide
EPA Registration No. 51557-2
Your Submission Dated February 11, 1987

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:
 - Delete the term General Classification.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

94696: I: Lee: L-7: KENCO: 6/16/87: 6/8/87: 6/8/87: voidsg: de

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

OFFICIAL FILE COPY

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

K

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: May cause severe eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. May be harmful if inhaled; use only with adequate ventilation. May be harmful if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge in to lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable.
Keep away from heat and flame.
Corrosive to metals.

STORAGE AND DISPOSAL

STORAGE

Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



O IND

**Controls bacteria, fungi, and algae in
sulfate reducing bacteria in oil field w**

ACTIVE INGREDIENTS

INERT INGREDIENTS:

* Alkyl as in fatty acids of cocone

KEEP

INHALATION: If overcome by exposure, obtain emergency medical attention.
EYE CONTACT: In case of eye contact, obtain emergency medical attention.
SKIN CONTACT: Immediately remove clothing for 15 minutes. If still present, wash with soap and water.
INGESTION: If swallowed, give large amounts of water to dilute and induce vomiting. Do not induce vomiting if damage to lungs expected.

**IF SWALLOWED, DO NOT
TREAT BURNS OR**

See Side Panel

Chen

**EPA REGISTRATION NO.
51557-2**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
51557-2



FLAMMABLE LIQUID, CORROSIVE, N.O.S.
UN 2924

8100
2000

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**INDUSTRIAL RECIRCULATING
WATER COOLING TOWERS**

Dosages for recirculating water cooling towers or evaporative condensers will depend on the condition of the system before treatment. Heavily fouled systems should be cleaned first. Apply 120 to 500 ppm of OFC-B-615 to the clean system when re-growth is first noticed. Repeat dosage one to three times per week until control is established. Add sufficient OFC B-615 to maintain 30-50 ppm in the blow-down water to keep the system under control. Always apply OFC B-615 to the system where it will be uniformly mixed.

OIL FIELD INJECTION WATERS

OFC B-615 may be used either in slug treatment or in continuous application. Dosages may vary from 500 ppm of OFC B-615 in slug applications to 30-50 ppm of OFC B-615 in continuous treatment (1/4 pint per 1,000 gallons equals approximately 30 ppm). A typical slug treatment is to add 120-500 ppm of OFC B-615 (1 pint to 2 quarts per 1,000 gallons of water) at intervals as needed to prevent growth of bacterial slime. Badly fouled systems may be slug treated to establish control followed by continuous treatment of 30-50 ppm (1/4 to 1/2 pints per 1,000 gallons of water) to maintain control. Monitoring methods include broth bottles, coupons and bacteria culture counts.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other express or implied, extends to its use, storage or handling of this product in a manner other than as directed by label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

**Net Weights
5 gal/40 lbs. - 55 gal/439 lbs.
Available in Bulk Quantities.**

