

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (721-367) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 51647-11	DATE OF ISSUANCE JUL 29 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Rappahannock Copper Paint No. 1	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Rappahannock Copper Paint Co.
 P.O. Box 4245
 Virginia Beach, VA 23451

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec.

3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:

- a. Use the phrase "EPA Registration No. 51647-11" (instead of "FPA Registration No. 51643-11").
- b. The front panel signal word "Warning" must be 14 pt Bodoni BOLD.
- c. The pesticide disposal instructions for this product should be:

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE


SIGNATURE OF APPROVING OFFICIAL

DATE

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee 
Product Manager (31)
Disinfectants Branch
Registration Division. (TS-767)

Enclosure

RD/DIS:JOB-91179:J.Lee:CBI-85/07:EK:Kendrick:898-1270:6/17/85:Del.6/27/85

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)**

WARNING

CAUSES SEVERE EYE AND SKIN IRRITATION.
Harmful if swallowed. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist, vapor or dust from sanding. Wash thoroughly with soap and water after handling and before eating or smoking. Use with adequate ventilation. While spraying paint or sanding any surface, wear a respirator jointly approved by the Mine Enforcement & Safety Administration and The National Institute of Occupational Health.

ENVIRONMENTAL HAZARDS

This Material is Toxic to Fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

PHYSICAL or CHEMICAL HAZARDS
Do Not Use or Store Near An Open Flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

STORAGE AND DISPOSAL

STORAGE

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store in a cool, dry area away from heat or open flame.

DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

Container - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

**QUALITY PRODUCTS
FOR THE COMMERCIAL WATERMAN**

RAPPAHANNOCK

**Copper Paint
No. 11**

ACTIVE INGREDIENTS		
BIS(TRIBUTYL TIN) OXIDE	5.00%	4.47%
INERT INGREDIENTS	95.00%	95.53%
TOTAL		100.00%

"This Product Contains petroleum Distillates"

Keep Out of Reach of Children

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid Alcohol. Get Medical Attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IF ON SKIN: Wash with plenty of soap and water. Get Medical Attention.

IF IN EYES: Flush with plenty of water. Get Medical Attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get Medical Attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MFD BY: Rappahannock Copper Paint Co., Inc.
Virginia Beach, Virginia

Establishment No. 5138-VA-01

EPA Registration No. 57643-11

NET CONTENTS - ONE GALLON

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 29 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.

57647-11

DIF
FOR CO

This is a cuprous
especially to pre
animal fouling on
"brackish" water.

When used over
coating is require
coating requires
glass or wood. Fo
recommended T
at least 400 squa
recommended dr

To prepare the s
and fouling resid
water, scraping
proper protective
ingestion of the p

A clean dry surfac
marine fouling, o
optimum perform
complete coating
ration will result
remove all dust,
that are generate

Mix the coating
shaker for a mini
pigment reincorp
is too thick to a
kerosene Clean

Apply by either
mixing instructio
minimum of four
two (2) hours be

REV. 3
May 85

BEST AVAILABLE COPY