

Authorized by USDA for use in
Federally inspected meat and poultry plants.

Reg # 51699-1

PM-10 3/11/94

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Avoid contact with eyes, skin, and clothing or clothing, wash off with soap and water. Avoid breathing of concentrated spray mist or vapors. May be harmful if swallowed. Do not take internally or contact foods/drinks/feeds or surfaces that they may contact. In hospitals, remove patients prior to treatment. Ventilate two hours prior to returning patients. Do not install directly above any food handling or dispensing area.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

GENERAL: QUICKLY follow directions below AND call Control Center, or physician. Always get quick medical attention for ANY ill effects which may occur.
IF IN EYES: Flush eyes with plenty of water while removing contact lenses, then hold eyelids open and flush eyes thoroughly with water.
IF SWALLOWED: Do NOT induce vomiting unless directed by medical personnel. Immediately (for conscious victims) drink plenty of water, spit out first, then drink a glassful of water and get medical attention.

PHYSICAL/CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or flame. Do not puncture or incinerate container. Explosive temperatures above 130°F (54°C) may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Keep in a cool, dry locked area inaccessible to children and away from sources of heat and ignition (flames, sparks, hot surfaces and sunlight). Container may burst above 130°F (54°C) if not vented.
DISPOSAL: Refasten protective cap on container, secure in several layers of newspaper, and discard in trash container. Do not incinerate or puncture.

An Exports Product Of

C-H PRODUCTS

Division of AIR-SCENT INTERNATIONAL
CDOMASTER Industrial Park

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. C-H Formula No. 9 Bug Killer is especially designed for Automatic Dispensers. One unit for each 6,000 cubic feet of space to be treated is recommended. A specific amount of concentrated insecticide is automatically released every 15 minutes through the periodic activation of the C-H Automatic Commercial Dispensers. After two hours of operation, enough insecticide is suspended in the air to kill a portion of the flies, gnats, or mosquitoes present thereby greatly reducing their numbers. Effectiveness of C-H Formula No. 9 Bug Killer will be noticed within one hour after the C-H Automatic Dispenser has been activated. If less than 24-hours of insect control is required, the C-H Automatic Dispenser should be set to start one hour before control is required and allowed to continue to run one hour after control is no longer necessary.

The rate of air change, shape of space to be treated, temperature, humidity, and other conditions affect insect activity. Although one C-H Automatic Dispenser per each 6,000 cubic feet of space may be considered as average, adjustments should be made if necessary depending upon the conditions under which the units are to be used. Large drafts of forced ventilation may reduce or eliminate the insecticidal efficacy of these installations.

The 6.5 ounce and 10 ounce cans of C-H Formula No. 9 Bug Killer contains approximately 3,100 "shots" and will operate at 15-minute intervals for a total of 780 hours or 32 days on a continuous 24-hour basis, or 64 days on a 12 hour basis. If operating on a 24-hour basis container should be replaced once a month. If operating on a 12-hour basis container should be replaced every two months. To replace aerosol container, lift lid and snap aerosol onto mounting cup and close lid and your C-H Automatic Commercial Dispenser Unit is ready to operate.

Note: Do not operate unit in edible processing areas of food plants while processing is in operation. Start automatic dispenser equipment one hour after shutdown of processing operation and turn off unit one hour before processing resumes.

Do not use in areas where infants, ill or aged persons or pets, especially birds and fish, will be directly exposed. As with any method of insect control, improved performance is achieved when good sanitary practices are followed. Find and dispose of all insect-infested foods/drinks/feeds, packaged goods, etc. in the area.

FOR USE IN: Food handling establishments, food preparation areas of restaurants and food processing plants, breweries, canneries, farm milk houses, bakeries, cheese and ice cream plants and in: homes, trash store areas, dock areas, stores, farms, dairies, barns, kennels, factories, schools, hotels, motels, offices, ships, supermarkets, food warehouses, bottling plants, hospitals, egg and milk handling areas of dairies and chicken houses, and other public buildings.

C-H

FORMULA NO. 9 BUG KILLER



WARNING

Keep Out of
Reach of Children

See side panel
for additional
precautionary statements
and practical treatment

Provides over 3,000+ sprays... one whole month of protection.

Gives effective knock down, kill and control for
wide-range of common flying insect pests.

For use in both food and non-food areas of industrial,
institutional, commercial, residential, and medical
buildings and vehicles.

Kills: Flies, Gnat, Small Flying Moths and Mosquitoes.
Repels: Cockroaches, Fleas and Crickets.

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
Piperonyl Butoxide Technical	2.00%
N-octyl Bicycloheptene Dicarboximide	3.34%
Inert Ingredients	93.66%

Contains petroleum distillates

Consists of 1.6% (butylcarbityl)(6-propylperonyl)ether and 0.4% of related compounds.

EPA Reg. No. 51699-1
EPA Est. No. 11175-TN-1

NET WEIGHT 6.5 OUNCES

