



REPELLOL

INSECT REPELLENT LOTION

100% ACTIVE INGREDIENTS

85% N.N. diethyl-meta-toluamide
5% other isomers

10 HOURS OF PROTECTION

Repels mosquitoes, black flies, gnats, chiggers, ticks and fleas. For deer flies re-apply every 3 hours.

CAUTION: Keep out of reach of children. See directions and other precautions on reverse side.

1 1/4 FLUID OUNCE

REPELLOL

INSECT REPELLENT LOTION

DIRECTIONS: Squeeze out a few drop and apply to all exposed skin. Wipe excess from hands after applying. Can be lightly applied to clothing. *Do Not Over Apply!* Resistant to water, perspiration and wear. **Caution:** If spilled, may damage plastics, synthetic fabrics and furniture finishes. **Warning:** In case of eye contact flush eyes with water. Keep out of eyes, lips and mouth. Do not take internally. May cause skin reactions in rare cases. Dispose of container properly.

Harrington's Quality Lures
1015 N. Shore Drive
Ishpeming, Mich. 49849 USA
EPA Reg. No. 51759

ACCEPTED
with COMMENTS
by EPA Label dated:

APR 21 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
51759-1

ACCEPTED
 JUL 30 1987
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 54282-29

WHERE TO APPLY

Use in Food Handling and Processing Establishments - Stores - Dairies - Canneries - Hotels - Institutions - Hospitals - Saloons - Homes

HOW TO APPLY

ROACHES, ANTS, SILVERFISH and CRICKETS: Assorted areas but of space to be treated. Check all cracks, cabinets, shelves, etc. Direct the mist toward insects, both crawling, flying, and hiding in dark sites and narrow spaces. For insect elimination apply the 10-20 ounces per 100 square feet of floor space. Check room for one hour. Repeat treatment as necessary. Do not spray directly on clothes, linens or other materials.

FLIES, MOSQUITOES, WASPS, GNATS: Assorted areas but of space to be treated. Check drains and windows. Position nozzle upward, direct the aerosol mist to all areas of the room, especially windows and other light sources which attract insects. Keep nozzle in constant motion at least 20 inches from fabric. Spray for 1 second per 1,000 sq. ft. of space. Spraying closer than 20 inches or longer than indicated may cause stains on fabrics, furs and other materials. Keep room closed 10 minutes after each treatment.

FLYING ADULT MOTHS: WIGGON CLOTHING MOTHS, TEPHROBIA MOTHS, AND ALLEGRE MOTHS - Assorted cubic feet of space to be treated. Treat all suspected enclosures containing clothing and other articles of wool or heavy wool like excelsior lining and other articles of wool in constant motion of least 20 inches away from the sprayer. Apply for 1 second per 1,000 cubic feet of space and close the treated area for 45 minutes or more. Spraying closer or longer than as directed above, or more often than 24-hourly, may cause stains on fabrics, furs and other materials. Two-Thirty-Two is not a moth proofing agent and will not destroy unsuspected moth eggs.

STORED PRODUCT INSECTS (Assessable Stages):

(1) CORNMEAL FLOUR BEETLES, GRANARY BEETLES, and RICE BEETLES - Direct treatment toward insects into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum dosage of 10-15 ounces treating area per 100 sq. ft. of floor space is recommended, leaving treated area lightly checked for five days to reconfirm, leaving treated area lightly checked for at least 45 minutes. Repeat treatment as needed. **ON WIGGON MOTHS or CHOCOLATE MOTHS, MEDITERRANEAN FLOUR MOTHS and ASSAULTED GRANT MOTHS** - Close doors and windows. Direct aerosol to all parts of the room, especially into dark enclosures and around stored product containers, etc. where adult moths may be nesting. Use a minimum dosage of 2 to 6 ounces treating area per 1,000 sq. ft. of space. Leave treated area closed 20 minutes. Repeat treatment weekly or as other flying insects appear.

Use in food processing plants only when plant is not in operation. All food processing surfaces should be covered or thoroughly cleaned before use. Food should be removed or protected during the treatment.

STORAGE AND DISPOSAL
 Storage: Store in cool area away from heat or open flame.
 Disposal: THE CYLINDER IS RECLAIMABLE. RETURN TO MANUFACTURER FOR DEPOSIT OR EXCHANGE WITH BUYER.

EPA Reg. No. 54282-29

EP-128 288A

EPA Est. 54282-SC-001

80002040

NET WT. 5 POUNDS
 (2.268 KILOGRAMS)



Two
 Thirty
 Two

AEROSOL INSECTICIDE

KILLS ROACHES, ANTS, SILVERFISH, CRICKETS, FLIES, MOSQUITOES, WASPS, AND GNATS

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

ACTIVE INGREDIENTS: Pyrethrin 1.95%, Technical pipereonyl butoxide 3.90%, N-Octyl bicycloheptane dicarboximide 2.72%, Petroleum distillate 18.95%

INERT INGREDIENTS: 75.0%

*Equivalent to 3.90% (butylcarbyl) (N-propylpipereonyl) ether and 8.95% of other related compounds.

PHYSICAL OR CHEMICAL HAZARDS

The cylinder contains a liquid under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

How to assemble and operate the VINCHEM Two-Thirty-Two 5 LB. CONTAINER-APPLICATOR

How to Assemble:

- (1) Remove valve protection cap from cylinder.
- (2) Insert cylinder into carrying bag.
- (3) Affix the hose and applicator to the valve with slight pressure from a wrench, if necessary.
- (4) Do not use without applicator.

How to Operate:

1. Sling strap of carrying bag over shoulder.
2. With applicator nozzle directed upward, open handwheel a full turn.
3. Keep the valve in the upright position at all times while in use.
4. Depress trigger on applicator handle to release spray.
5. Valve must be tightly closed and the cap replaced before shipment of empty cylinder.

CAUTION

- Do not spray directly on food or animals.
- Do not remain in treated area and ventilate the area after treatment is completed.
- Remove pets, birds and cover fish aquariums before spraying.
- Use in food processing plants only when plant is not in operation. All food processing surfaces should be covered or thoroughly cleaned before using. Food should be removed or protected.

TECHNICAL PRODUCTS CORPORATION, Fortsum, VA 23704

Net. Wt.

PM 17