

PM 19
11-23-93

51793-2

143

ACCEPTED
NOV 29 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 51793-2

ELITE INSECT SPRAY

Insect Residual Spray With Synergized Pyrethrins and Baygon®

Kills Ants, Roaches, Spiders and Certain Other Listed Crawling Insects In and Around the Home, Schools, Theaters, Warehouses, Motels, Hotels and other Industrial Establishments.

This product must be applied using a compressed air sprayer. Do not apply this product using a trigger pump sprayer.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
*Piperonyl Butoxide, Technical.....	0.100%
+N-Octyl bicycloheptene dicarboximide.....	0.166%
**2-(1-methylethoxy) phenol methylcarbamate.....	1.000%
INERT INGREDIENTS:	98.684%
	<u>100.000%</u>

*Equivalent to .08% (butylcarbityl)(6-propylpiperonyl) ether and .02% related compounds.
+MGK-264, Insecticide Synergist.
**BAYGON® - U.S. Patent No. 3,111,539.

KEEP OUT OF REACH OF CHILDREN

CAUTION


SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620**

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-2

NET CONTENTS _____ OZ



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General: In the Home and Nonfood Areas of Industrial Establishments: Spray surfaces to wetting. Point spray away from people, plants and pets. Avoid excessive wetting of plastic, rubber or asphalt surfaces, such as tiles and floor coverings.

FOR SPOT TREATMENT:

Indoor Use: ANTS, COCKROACHES, CRICKETS, FLEAS, BROWN DOG TICKS, SILVERFISH, SPIDERS, SCORPIONS, SAWTOOTHED GRAIN BEETLES (exposed stage), TICKS and WATERBUGS: Spray into cracks, crevices around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS, FLEAS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.


For Cracks and Crevice: ANTS, COCKROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES and DERMESTIDS: Apply diluted spray in small amounts directly into cracks and crevices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.

APPLICATION OF THIS PRODUCE IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS IS NOT PERMITTED.

Outdoor Use: ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS and BROWN DOG TICKS: Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

BEST AVAILABLE COPY



273

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical attention.

NOTE TO PHYSICIAN: Atropine Sulfate is Antidotal.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

PHYSICAL HAZARDS

FLAMMABLE: Keep away from heat and open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF IN EYES: Flush immediately with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove clothing and wash skin with warm, soapy water. Thoroughly launder clothing before wearing again. Prolonged or repeated contact with this product may result in an allergic reaction.

IF INHALED: Remove victim to fresh air.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not reuse empty container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

BEST AVAILABLE COPY

