ELITE FLEA & TICK POWDER

FLEA & TICK POWDER FOR DOGS & CATS

KILLS FLEAS, LICE & TICKS on Dogs & Cats EFA Bog. N

ACCEPTED

SEP 23 1993

ACTIVE INGREDIENTS:

•

}

Carbaryl (1-naphthyl N-methylcarbamate) 12.50%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Precautionary Statements

MANUFACTURED BY: RSR LABORATORIES, INC. 501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-01

EPA Reg. No. 51793-15

NET CONTENTS OZ.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control Fleas, Ticks and Lice on Dogs and Cats, dust powder liberally over the entire body. Rub dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to put the powder in animal's eyes, nose or mouth. Dust bedding, kennel and sleeping area regularly. Repeat as needed, but not more often that once weekly.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry location. Keep cap tightly closed. 🐇

Disposal: Do not reuse empty container. Wrap container in newspaper and put in trash collection.

This container is filled by weight, not by volume. You can be assured of the proper weight even though some settling of contents normally occurs during transportation and handling.

PRECAUTIONARY STATEMENTS CAUTION HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use on nursing kittens or puppies. Do not use on kittens or puppies less than 4 weeks of age. Do not use on pregnant dogs. Keep out of reach of children. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

Notice to Physician: Carbaryl is a cholinesterase inhibitor. Atropine is antidotal.

Environmental Hazards: This product is extremely toxic to aquatic invertebrates. Do not apply to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Call physician.

If On Skin: Wash with soap and water.

If In Eyes: Flush with plenty of water. If irritation persists, see physician.

)

1