

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use on kittens or nursing puppies. Do not use on kittens or puppies less than 4 weeks of age. Keep out of reach of children. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

Notice to Physician: Carbaryl is a cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENT HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STATEMENT OF PRACTICAL
TREATMENT**

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Call Physician.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with plenty of water. If irritation persists see Physician.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control Fleas, Ticks and Lice on Dogs and Cats, dust powder liberally over the entire body. Rub dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to get the powder in animal's eyes, nose or mouth. Dust bedding, kennel and sleeping area regularly. Repeat as needed, but not more often than once weekly. Do not use on Pregnant Dogs.

STORAGE AND DISPOSAL

Storage: Store in a cool dry location. Keep cap closed tightly.

Disposal: Do not re-use bottle. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.

EPA Est. No. 51793-FL-01
EPA Reg. No. 51793-

MANUFACTURED BY:

ELITE CHEMICAL CORPORATION, INC.
P.O. Box 970888 • Miami, Florida 33197



FOR
CATS AND DOGS
(OVER 4 WEEKS OF AGE)

KILLS
FLEAS and TICKS

ACTIVE INGREDIENTS

Pyrethrin	00.10%
**Piperonyl Butoxide, Technical	01.00%
Carbaryl (1-naphthyl N-methylcarbamate)	12.50%
Silica Gel	10.00%

INERT INGREDIENTS

76.40%
100.00%

*Extra Strength as compared to 5% Carbaryl Powders.
**Equivalent to 0.8% (butyl carbaryl)(8-propylpiperonyl ether and 0.2% related compounds).

Keep Out of Reach
of Children

- CAUTION -

See Back Panel For Precautionary Statements

NET. WEIGHT
3 OZS.

