PM-17

17.3

# ACCEPTED

NOV - 9 1993

Under the Federal Insecticide. Fungicide, and Redenticide Act. as amended, for the posticide registered under EPA Reg. No. 51773 - 27

# ELITE INSECT SPRAY WITH BAYGON

Insect Residual Spray With Synergized Pyrethrins and Baygon®

Kills Ants, Roaches, Spiders and Certain Other Listed Crawling Insects In and Around the Home, Schools, Theaters, Warehouses, Motels, Hotels and other Industrial Establishments.

This product must be applied using a compressed air sprayer.

Do not apply this product using a trigger pump sprayer.

ACTIVE INGREDIENTS:  Pyrethrins*  *Piperonyl Butoxide, Technical*  **2-(1-methylethoxy) phenol methylcarbamate	0.2629 0.5009
• · · • · · · · · · · · · · · · · · · ·	100.000
*Equivalent to 0.21% (butylcarbityl)(6-propylpiperonyl	)

\*Equivalent to 0.21% (DutylCarDityl)(b-propylpaperonyl) ether and .052% related compounds.
\*\*BAYGON\* - U.S. Patent No. 3,111,539.

KEEP OUT OF REACH OF CHILDREN

## CAUTION

# SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-27

NET CONTENTS OZ

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product ig a: manner inconsistent with its labeling.

General: In the Home and Nonfood Areas of Industrial Establishments: Spray surfaces to wetting. Point spray away from people, plants and pets... Avoid excessive wetting of plastic, rubber or asphalt surfaces, such as tiles and floor coverings.

#### FOR SPOT TREATMENT:

Indoor Use: ANTS, COCKROACHES, CRICKETS, FLEAS, BROWN DOG TICKS, SILVERFISH, SPIDERS, SCORPIONS, SAWTOOTHED GRAIN BEETLES (exposed stage), TICKS and WATERBUGS: Spray into cracks, crevices around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS, FLEAS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

For Cracks and Crevice: ANTS, COCKROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES and DERMESTIDS: Apply diluted spray in small amounts directly into cracks and crevices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS IS NOT PERMITTED.

Outdoor Use: ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS and BROWN DOG TICKS: Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

FLIES, MOSQUITOES, WASPS and FLYING MOTHS OUTDOORS: For outdoors, use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation. of area being

treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical attention.

NOTE TO PHYSICIAN: Atropine Sulfate is Antidotal.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

# PHYSICAL HAZARDS

Flammable: Keep away from heat and open flame.

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not

induce vomiting. Vomiting may cause aspiration pneumonia.

IF IN EYES: Flush immediately with clean water. Get medical attention if

irritation persists.

IF ON SKIN: Remove clothing and wash skin with warm, soapy water.

Thoroughly launder clothing before wearing again. Prolonged or repeated contact with this product may result in an allergic

reaction.

IF INHALED: Remove victim to fresh air.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative. Agricultural Extension Service.

### STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap and put in trash...