


ELITE AEROSOL INSECT SPRAY WITH BAYGON

Dielectric Breakdown Voltage:
36,400 volts by ASTM D877 Methods

Insect Residual Spray With
Synergized Pyrethrins and Baygon



Kills Ants, Roaches, Spiders and Certain Other
Listed Crawling Insects In and Around the Home,
Schools, Theaters, Warehouses, Motels, Hotels
and other industrial Establishments.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.052%
*Piperonyl Butoxide, Technical.....	0.262%
**2-(1-methylethoxy) phenol methylcarbamate.....	0.500%
INERT INGREDIENTS:	99.186%
	100.000%

*Equivalent to 0.21% (butylcarbityl)(6-propylpiperonyl)
ether and .052% related compounds.
**BAYGON - U.S. Patent No. 3,111,539

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1


EPA Reg. No. 51793-30

NET CONTENTS _____ OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner
inconsistent with its labeling.

General: In the Home and Non-food Areas of Industrial Establishments: Spray
surfaces to wetting. Point spray away from people and plants.... Avoid
excessive wetting of plastic, rubber or asphalt surfaces, such as tiles and
floor coverings.



Indoor Use: ANTS, COCKROACHES, CRICKETS, FLEAS, BROWN DOG TICKS, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (exposed stage), TICKS AND WATERBUGS: Spray into cracks, crevices around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS, FLEAS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

For Cracks and Crevice: ANTS, COCKROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES AND DERMESTIDS: Apply spray in small amounts directly into cracks and crevices, especially in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.


APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS IS NOT PERMITTED.

Outdoor Use: ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS AND BROWN DOG TICKS: Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

To Kill Bees, Wasps, Hornets and Yellow Jackets: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Repeat as necessary.

For Control of Wasps and Hornets Outdoors: Apply after dark when all of the insects have returned to the nest. Remove cap, hold can upright, aim valve opening at nest and depress button, soaking nest with spray. When all wasps and hornets have fallen from the nest, destroy the nest. Repeat as necessary.

Flies, Mosquitoes, Wasps and Flying Moths Outdoors: For outdoors, use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.



**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION**

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical attention.

NOTE TO PHYSICIAN: Atropine Sulfate is Antidotal.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on this label.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF IN EYES: Flush immediately with clean water. Get medical attention if irritation persists.

IF ON SKIN: Remove clothing and wash skin with warm, soapy water. Thoroughly launder clothing before wearing again. Prolonged or repeated contact with this product may result in an allergic reaction.

IF INHALED: Remove victim to fresh air.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Replace cap and discard in trash. Do not incinerate or puncture.

