ELITE



MAR 2 7 1986

' sacticida.

vicide Act.

Under 1

as amenda...

RPA Reg. No.

redistered undor h

Fungici

AEROSOL SEVEN MONTH INSECT SPRAY

Fast Acting Spray Powder

Residual to Roaches

Controls Roaches, Silverlish, Bed Bugs & Fleas

Kills up to 7 months when left undisturbed.

For Use in Homes, Restaurants, Hospitals, Supermarkets, Schools, Institutions, Warehouses, Factories and Food Plants.

Acceptable for use in inedible product areas of Federally inspected Meat & Poultry Plants.

ACTIVE INGREDIENTS:

Pyrethrins		0.1%
*Piperonyl Butoxide, Technical	•	10%
Silica Gel		4 0%

INERT INGREDIENTS:	 9 4.4%
	100.0%

*Equivalent to 0.5% (buty/carbityl) /6-propyto-beronyly ether and 0.2% reveald compounds

NET CONTENTS 14 oz.

KEEP OUT OF REACH OF CHILDREN DANGER See back panel for additional precautions

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its fabeling.

SHAKE WELL BEFORE AND AT INTERVALS DURING USE.

TO OPERATE: Hold can upright and press actuator bulton.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served. FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation). To control ants, cockroaches, silvertish, crickets, čentipedež, millipedes, čarpel beetles, spides-bealles, ground bealles, earwigs, waterbugs and firebrats. Apply in small amounts directly into cracks and crevices using an injection or insertion tube, in points between different elements of construction/between equipment and troops, prenince leading to voids and holiow spaces in walls, equipment leas and pases and in conduite motion

housings, junction or switchboxes. Prior to application de-energize electrical equipment. After application, allow time for solvent to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the insecticide onto exposed surfaces or introducing it into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK.AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where food may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Including garbage rooms, lavatories, lloor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms garages, mop closets and storage faiter canning or bollting). Acoly as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

To control powder post beetles, treat infested wood using an injection or insertion tube. Apply small amounts directly into and around entrance holes.

To control fleas in animal quarters, treat bedding, floor and floor coverings and any areas where fleas may hide.

Repeat application when effectiveness diminishes.

To control bed bugs, take bed apart and treat cracks, joints and interior of framework. Mattresses should be treated, especially lufts, folds and edges. Do not use in hospital patient quarters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or ouncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes eye and skin'damage. Avoid contact with skin or eyes. Wear goggles or face shield Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove pets, birds and cover or remove lish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If In eyes - Flush eyes with plenty of water. Get medical allention.

If swallowed --- Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause asplration pneumonia.

If inhaled — Remove victim to fresh air, Apply artificial respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZAROS FLAMMABLE Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

EPA Est. No. 51793-FL-1 EPA Rog. No. 51793-

MANUFACTURED BY:

ELITE CHEMICAL CORPORATION, INC. P.O. Box 970888 + Miami, Floride 33197