U.S. ENVIRONMENTAL PROTECTION AGENCY 51793-43 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) TERM OF ISSUANCE WASHINGTON, D.C. 20460 Until Reregistration NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION (Under the Federal Insecticide, Fungicide, 6 HONTH INSECT POWDER and Rodenticide Act, as amended) HAME AND ADDRESS OF REGISTRANT (Include ZIP code) Flite Chemical Corporation P.O. Box 1947 Porcross, GA 30091 L NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA istration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered This product is conditionally registered in accordance with FIFRA Sintion 3(c)(7)(A) provided that you: Submit and/or cite all data required for registration/ reregistration or your product under PIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes lister below before you release the product for shipment: (a) Add the phrase "FPA Peg. No. 51793-43". (b) Add the following (imitation directly under the product name: "For Industrial/Commercial Use Only" (c) ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL DATE

EPA Form 8570-6 (Rev. 5-76)

1

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

(d) Add the following precaution at the end of the directions for use on dogs and cats:

"Do NOT treat kittens or puppies less than four weeks old."

(e) Revise the heading "DISPOSAL" to "STORAGE AND DISPOSAL" and revise the instructions to read as follows:

Do not contaminate water, food, or feed by storage or disposal. Securely wrap original container in several layers of newspaper and discard in trash.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)



6 MONTH INSECT POWDER

PROVIDES QUICK CONTROL.

KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED.

NON-STAINING AND RELATIVELY ODORLESS. FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, GRANARIES AND ON CATS AND DOGS.

CONTROLS ANTS, COCKROACHES, SILVERFISH, BEDBUGS, FLEAS, LICE, BEES, AND AS STIPULATED IN THE USE DIRECTIONS ON NUMEROUS STORED PRODUCT PESTS. TO PROTECT AGAINST ENTRANCE OF DRYWOOD TERMITES.

ACTIVE INGREDIENTS:

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10,0%
Amorphous Silica Gel	40.0%

100.0%

ACCIBPTED

with COMMENTS

in EPA Letter Datad:

NOV **2** 5 1985

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precautionary statements.

EPA Est. No. 51790-GA-01 EPA Reg. No. 51793-

WHUPACTURED BY:

ELITE CHEMICAL CORPORATION, INC. P.O. Box 1947 Norcross, Gs. 30091

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION
Avoid inhalation. Containers larger than one pound may not be used or stored in food handling establishments.

ENVIRONMENTAL HAZARDS This product is toxic to fish. Keep out of fakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. On not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATIONS WITHIN FOOD AREAS:
Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals, and schools:
Limit to Crack and Crerice Treatment Only:
Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between dilegent elements of construction or between equipment bases and the floor, wall voids, motor housing, junction bores or switch boxes, conduits or houtow equipment legs where cockroaches, ants, silverlish, spiders, boxelder-bugs, and bickels nide. Care should be taken to avoid depositing the product onto exposed surfaces of introducing the material into the air, Avoid contamination of lood or food processing surfaces. **APPLICATIONS WITHIN FOOD AREAS:**

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOO ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TR NOT PERMITTED.

NON-FOOD AREAS:
Homes, institutions, hospitals, office buildings, hotels, motels, thrawarehouses, truck trailers and railroad cars: To control crawling instructionaches, silverlish, firebrats, spiders, boxelder bugs, ticks, lice, animal quarters, distribute—at the rate of 2 ounces per 100 squreal, hopping a continuous visible film underneath and behind stairs, appliances. Treat on, around and behind moldings, shelving, basebo opanings, cracks, crevices, and other areas where insects hide. For infestations, apply—behind cabinets and walls, in crawl spaces rate of 16 ounces per 1000 square feet of surface area. Repeat treations of propriets areas.

STORED PRODUCT PESTS:

STOREO PRODUCT PESTS:
To aid in the control of cadelles, cheese mites, cigarette beetles, co beetles, dark meal worms, drugslore beetles, grain mites, granary w beetles, rice weevils, sawtoothed grain beetles and yellow meal wor elevators and granaries. Clean up waste materials, dust, dirt, and ar Thoroughly treat floors, walls and other surfaces in bins, storage ar Apply into cracks and crevices and other difficult to reach areas whence.

BEES AND WASPS:

BEES AND WASPS:
It is generally advisable to treat wasp and bee nests in the evening tess active and have returned to the nest. Using hand or power dust means, with extension tubes if necessary, thoroughly dust nest and surrounding areas where insects alight. Nests in wall voids can be with your ear against the wall Orill a hole in the area, blow dust in, ground wasps, dust entrance and surrounding areas. For best result carefully one or two days after treatment to ensure complete will, the destroy health of response or the days after treatment to ensure complete will, the destroy nest to prevent emergence of newly-halched insects. If rem leasible, retreat the nest, if necessary. Do not use this product to to

SEWER TREATMENTS:

SEWER TREATMENTS:

American and Oriental cockroach infestations in sanitary sewers mapproximately 6 ounces

per manhole. When treating sewer per 200 leet of line should be treated. Treatments are made by remotover and replacing with a disc of plywood bored to receive the usur from portable or truck mounted ventilating equipment, 6 ounces infinited conduct the ventilating air to be dispersed quickly and thore in the conduction of the conduct Under the Federal Insecticides tem.

Fungicide, and Rodenticide Assuss: as amended, for the posticide the open Dust into points and channels it hollow, such as squiregistered under EPA Rey. Neet that the interior of framework is well dusted. Mattresses should be registered under EPA Rey. Neets, tolds, and edges. Picture frame moldings and all cracks and cracks are considered.

51793-43

TRYWOOD TERMITES

To profest against entrance, using an electric or hand operated rotar letrough an entry, e.g. crawl hole into attic and crawl space of 1 pound per 1000 square feet of floor area. Alt vents and blowers on should be closed. Alt wood sudfaces should be covered in case of to probe to locate galleries and drill hotes to inject. into the galle heavy infestation has already developed, furnigation should be empto

FLEAS: DOGS AND CATS

Liberally apply powder to the animal Rubbing thoroughly to the skin and include the underbody, legs, feet and the base of the tail Repeat Surfaces of kennels should be dusted at the rate of one ounce per Stimetical lawns, basements, and crawl spaces should be dusted at the 1000 square feet. Repeat as necessary.

SOW BUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDS AND SCORPIONS:

Apply around doors and windows and other places where these pest Treat baseboards, storage areas and other locations where these pes

DISPOSAL

Do not reuse container. Wrap and put

^{*}Equivalent to 8 0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds.