EPA REGISTRATION U.S. ENVIRONMENTAL PROTECTION AGENCY 51793-43 NUV. OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 Until Reregistration NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION (Under the Federal Insecticide, Fungicide, 6 MONTH INSECT POWDER and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Flite Chemical Corporation P.O. Box 1947 Porcross, GA 30091 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned berewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered This product is conditionally registered in accordance with FIFFA " oftion 3(c)(7)(A) provided that you: 1. Submit enclor cite all data required for registration/ reregistration cc your product under PIFRA sec. 3(c)(5) when the Adency requires all registrants of similar products to submit such data. 2. Make the labeling changes lister below before you release the proxuet (a) Add the phrase "IPA Pex. No. 51793-43". (b) Add the following simitation directly under the preduct name: "For Industrial/Cormercial Use Only"

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

for shippent:

(c)

L

(d) Add the following precaution at the end of the directions for use on dogs and cats:

"Do NOT treat kittens or puppies less than four weeks old."

(e) Revise the heading "DISPOSAL" to "STORAGE AND DISPOSAL" and revise the instructions to read as follows:

Do not contaminate water, food, or feed by storage or disposal. Securely wrap original container in several layers of newspaper and discard in trash.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide—Rodenticide Branch Registration Division (TS-767)



6 MONTH INSECT POWDER

PROVIDES QUICK CONTROL.

KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED.

NON-STAINING AND RELATIVELY ODORLESS.

FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, GRANARIES AND ON CATS AND DOGS.

CONTROLS ANTS, COCKROACHES, SILVERFISH, BEDBUGS, FLEAS, LICE, BEES, AND AS STIPULATED IN THE USE DIRECTIONS ON NUMEROUS STORED PRODUCT PESTS. TO PROTECT AGAINST ENTRANCE OF DRYWOOD TERMITES.

ACTIVE INGREDIENTS:

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10,0°%
Amorphous Silica Gel	40,0%

100.0%

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precautionary statements. EPA Est. No. 51793-GA-01 EPA Reg. No. 51793-.

NOV **2** 5 1985

ACCEPTED

with COMMENTS

in EPA Letter Dated:

MANUFACTURED BY:

ELITE CHEMICAL CORPORATION, INC.

P.O. Box 1947 Norcross, Ca. 30091

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid inhalation. Containers larger than one pound may not be used or stored in food handling establishments.

ENVIRONMENTAL HAZAROS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas. treited. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATIONS WITHIN FOOD AREAS:

Fond processing plants and warehouses, bakeries, beverage plants, restaurants, super-markets, meat and poultry processing plants, hotels, motels, hospitals, and schools: Limit to Crack and Crevice Treetment Only:

Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the ficbr, wall voids, motor housing, junction boxies or switch boxies, conduits or bollow equipment legs where cockroaches, antis, silverfish, spiders, boxiede-bugs, and cickels inde. Care should be taken to avoid depositing the product onto expanded surfaces or introducing the material into the air, Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TRE NOT PERMITTED.

NON-FOOD AREAS:

Homes, institutions, hospitals, office buildings, hotels, motels, thea warehouses, truck trailers and railroad cars: To control crawling inscookroaches, silverlish, fleebrals, spiders, boxelder bugs, ticks, fice, animal quarters, distribute—at the rate of 2 ounces per 100 sq area. Apply a continuous visible film underneath and behind stairs, appliances. Treat on, around and behind moldings, shelliving, based openings, cracks, crevices, and other areas where insects hids. For intestations, apply behind cabinets and walls, in crawt spaces rate of 16 punces per 1000 square feet of surface area. Repeat treatr

STORED PRODUCT PESTS:

To aid in the control of cadelles, cheese mites, cigarette beetles, co beetles, dark meal worms, drug-flore beetles, grain mites, granary wi beetles, rice weevils, sawtoothed grain beetles and yellow meal wor elevators and granaries. Clean up waste materials, dust, dirt, and an Thoroughly treat floors, walls and other surfaces in bins, storage an Apply into cracks and crevices and other difficult to reach areas wh

BEES AND WASPS:

it is generally advisable to treat wasp and bee nests in the evening. less active and have returned to the nest. Using hand or power dust means, with extension tubes if necessary, thoroughly dust nest and surrounding areas where insects alight. Nests in wall voids can be twith your ear against the wall Orill a hole in the area, blow dust in ground wasps, dust entrance and surrounding areas. For best result carefully one or two days after treatment to ensure complete kill, the destion nest to nevent emprenence of newly history insects. If rem destroy nest to prevent emergence of newly-hatched insects. If rem feasible, retreat the nest, if necessary. Do not use this product to tr

SEWER TREATMENTS:

American and Oriental cockroach intestations in sanitary sewers ma approximately 6 ounces per manhole. When treating sewe per 200 feet of line should be treated. Treatments are made by remo cover and replacing with a disc of plywood bored to receive the usu from portable or truck mounted ventilating equipment, 6 ounces introduced and the ventilating air to be dispersed quickly and thoro

Under the Federal Insecticuterstem. Fungicide, and Rodenticide Asserbucs:

as amended, for the pesticidisks bed apart Dust into foints and channels if hollow, such as squ. as amended, for the positional see that the interior of framework is well dusted. Mattresses should be registered under EPA Reg. Natts, folds, and edges. Picture frame moldings and all cracks and cre 51793-43 should be treated

TRYWOOD TERMITES

ONT WOOD TRANSTES
To profest against entrance, using an electric or hand operated rotar
to profest against entrance, using an electric or hand operated rotar
through an entry, e.g. crawf hole into altic and crawl space of
the pound per 1000 square feet of floor area. All vents and blowers on
should be closed. All wood surfaces shoul, be covered. In case of lo
probe to locate galleries and drill holes to inject.
Into the galle
heavy infestation has already developed, furnigation, should be empto

FLEAS: DOGS AND CATS

Liberally apply powder to the animal. Rubbing thoroughly to the aking and include the underbody, legs, feet and the base of the tail. Repeating some strength of the tail and the base of the tail. Repeating strength of the tail and the strength of the tail and tail the strength of the s 1000 square feet. Repeat as necessary

SCW BUGS, PILLBUGS,GROUND BEETLES, EARWIGS, MILLIPEDE AND SCORPIONS:

Apply around doors and windows and other places where these pest Treat baseboards, storage areas and other locations where these pes

DISPOSAL

Do not reuse container. Wrap and put

^{*}Equivalent to 8 0% (butylcarbityl) (6-propylpiperonyl) ether and 2 0% related compounds.