

51793-43

02/01/1988

1/5

128/197012  
17/ 1

FEB 2 1988

Mr. Rob R. Adams, Jr.  
Elite Chemical Corporation  
P.O. Box 1947  
Norcross, GA 30091

Dear Mr. Adams:

Subject: Addition of Asian Cockroach Claim  
6-Month Insect Powder  
EPA Registration No. 51793-43  
Your Letter Dated May 18, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing, make the following changes:

1. Change the product name to that of the registered product. You may submit an amended product name at any time.
2. ~~Delete "Amorphous" in the ingredient statement.~~ *Amorphous removed and substituted with...*

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure

15241:I/C:Newkirk:LR-5:KENCO:7/15/87:7/24/87:aw:SJH:VO:lisa:EK:aw

CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

OFFICIAL FILE COPY

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

FEB - 1 1988

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
51793-43

ELITE SIX MONTH INSECT POWDER

PROVIDES QUICK CONTROL  
KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED

For Industrial and Commercial Use Only

Non-staining and relatively odorless. For use in residences,  
institutions, food plants, granaries and on cats and dogs.

Controls Ants, Cockroaches (including the Asian cockroach),  
Silverfish, Bedbugs, Fleas, Lice, Bees and (as stipulated in  
the use directions) on numerous stored product pests. May  
also be used to protect against entrance of drywood  
termites.

Active Ingredients:

- Pyrethrins ..... 1.0%
- \*Piperonyl Butoxide, Technical ..... 10.0%
- Amorphous Silica Gel ..... 40.0%

INERT INGREDIENTS:

- (Contains Petroleum Distillate) ..... 49.0%
- 100.0%

\*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl)  
ether and 2.0% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

MANUFACTURED BY:  
ELITE CHEMICAL CORPORATION, INC.  
P.O. BOX 1947, NORCROSS, GEORGIA 30091

EPA Est. No. 51793-GA-01      EPA Reg. No. 51793-43

NET CONTENTS    OZ.

### DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

#### APPLICATION WITHIN FOOD AREAS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals, and schools.

#### LIMIT TO CRACK AND CREVICE TREATMENT ONLY:

Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where cockroaches, ants, silverfish, spiders, boxelder bugs, and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

#### NON-FOOD AREAS:

Homes, institutions, hospitals, office buildings, hotels, motels, theaters, schools, warehouse, truck trailers and railroad cars: To control crawling insects such as ants, cockroaches, silverfish, firebrats, spiders, boxelder bugs, ticks, lice, and fleas in animal quarters, distribute at the rate of 2 ounces per 100 square feet of surface area. Apply a continuous visible film underneath and behind stairs, refrigerators and appliances. Treat on, around and behind moldings, shelving, baseboards, pipe openings, cracks, crevices and other areas where insects hide. For severe infestations, apply behind cabinets and walls. In crawl spaces and attics at the rate of 16 ounces per 1000 square feet of surface area. Repeat treatment as necessary.

#### STORED PRODUCT PESTS:

To aid in the control of cadellies, cheese mites, cigarette beetles, confused flour beetles, dark meal worms, drugstore beetles, grain mites, granary weevils, red flour beetles, rice weevils, sawtoothed grain beetles and yellow meal worms in mills, elevators and granaries. Clean up waste materials, dust, dirt, and any other debris. Thoroughly treat floors, walls, and other surfaces in bins, storage and handling areas. Apply into cracks and crevices and other difficult to reach areas where insects may hide.

**BEEES AND WASPS:**

It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

**SEWER TREATMENTS:**

American and Oriental cockroach infestations in sanitary sewers may be treated with approximately 6 ounces per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood board to receive the usual flexible hose from portable or truck-mounted ventilating equipment, 6 ounces is introduced into the ventilating air to be dispersed quickly and thoroughly through the system.

**BEDBUGS:**

Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattresses should be dusted, especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

**DRYWOOD TERMITES:**

To protect against entrance, using an electric or hand operated rotary duster, distribute thorough an entry, e.g. crawl hole into attic and crawl space of building, at a rate of 1 pound per 1000 square feet of floor area. All vents and blowers on the windward side should be closed. All wood surfaces should be covered. In case of localized infestations probe to located galleries and drill holes to inject into the galleries. If a reasonably heavy infestation has already developed, fumigation should be employed.

**FLEAS: DOGS AND CATS:**

Liberally apply powder to the animal, rubbing thoroughly to the skin. Begin with the neck and include the underbody, legs, feet and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at the rate of one ounce per 50 square feet. Heavily infested lawns, basements, and crawl spaces should be dusted at the rate of 16 ounces per 1000 square feet. Repeat as necessary. Do not treat kittens or puppies less than four weeks old.

**SOWBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES AND SCORPIONS:**

Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Securely wrap original container in several layers of newspaper and discard in trash.

-----  
This container is filled by weight not by volume. You can be assured of the proper weight even though some settling of contents normally occurs during transportation and handling.  
-----

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Avoid inhalation. Containers larger than one pound may not be used or stored in food handling establishments.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

**FOR EVALUATION PURPOSES ONLY**

Submit draft of proposed label to ELITE's Regulatory Affairs Dept. before proceeding with artwork.