

10F 4  
01131  
51793-44

ELITE VETERINARIAN TYPE DISINFECTANT

DETERGENT, DEODORANT, MILDEWSTAT, AND VIRUCIDE

EFFECTIVE AGAINST  
CANINE DISTEMPER PSEUDORABIES VIRUS - VACCINIA VIRUS  
INFLUENZA A2 - HERPES SIMPLEX TYPE 1 - ADENO VIRUS TYPE 3  
CANINE PARVOVIRUS

ACTIVE INGREDIENTS:


n-Alkyl (60xC <sub>14</sub> , 30xC <sub>16</sub> , 5xC <sub>12</sub> , 5xC <sub>18</sub> )	
dimethyl benzyl ammonium chlorides .....	4.50%
n-Alkyl (68xC <sub>12</sub> , 32xC <sub>14</sub> ) dimethyl	
ethylbenzyl ammonium chlorides .....	4.50%
INERT INGREDIENTS: .....	<u>91.00%</u>
	100.00%

-----  
KEEP OUT OF REACH OF CHILDREN  
-----

DANGER  
-----

See Side Panel for Additional Precautionary Statements

MANUFACTURED BY:  
ELITE CHEMICAL CORPORATION, INC.  
P. O. BOX 1947, NORCROSS, GEORGIA 30091



EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-44

NET CONTENTS \_\_ OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is designed specifically for use by...  
veterinarian hospitals, laboratories, kennels, pet shops,  
zoos and pet animal quarters. When used as directed, will  
disinfect, deodorize and clean inanimate hard surfaces (such  
as walls, floors, sink tops, kennel runs, operating tables,  
cages, feeding and watering equipment and furniture).

In addition, deodorizes those areas which generally are hard  
to keep fresh smelling such as garbage storage areas, empty  
garbage bins and cans, and any other areas which are prone to  
odors caused by microorganisms.

**DISINFECTION, DEODORIZATION, AND CLEANING:**

For disinfecting, deodorization and cleaning, add 1 ounce to one gallon of water and apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

For heavily soiled or contaminated areas, a pre-cleaning step is required. Prepare a fresh solution for each use.


For feeding and water equipment, rinse with potable water after application.

**Mildewstat:**

To control mold and mildew on pre-cleaned hard non-porous surfaces (such as floors, walls, table tops) add 1 ounce to 1 gallon of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

**DISINFECTION:** When used as directed, demonstrates effective disinfection against the following:

- |                                  |                               |
|----------------------------------|-------------------------------|
| <i>Pseudomonas aeruginosa</i>    | <i>Streptococcus faecalis</i> |
| <i>Escherichia coli</i>          | <i>Shigella dysenteriae</i>   |
| <i>Klebsiella pneumoniae</i>     | <i>Enterobacter aerogenes</i> |
| <i>Salmonella schuttmuelleri</i> | <i>Staphylococcus aureus</i>  |
| <i>Salmonella choleraesuis</i>   |                               |



**HOSPITAL DISINFECTIONS:** When used as directed, this product is an effective disinfectant against *Pseudomonas aeruginosa* in animal hospitals and laboratories for operating tables and equipment.

**Virucidal\* Activity:** When used at general disinfection dilution rates on environmental, inanimate hard surfaces exhibits effective virucidal activity against Canine Distemper Pseudorabies virus, Vaccinia virus, Influenza A2/Asian, Herpes Simplex Type 1, Adeno Virus Type 2, and Canine Parvovirus.


Efficacy tests have demonstrated that this product is an effective bactericide, fungicide, and virucide\* in the presence of organic soil (5x blood serum).

Mold and Mildewstat: Prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces.

STORAGE AND DISPOSAL  
DO NOT CONTAMINATE WATER, FOOD, OR FEED  
BY STORAGE OR DISPOSAL

Storage: Store in a dry place no lower than 50°F or higher than 120°F.

Pesticide Disposal: Do not reuse empty container. Rinse thoroughly before discarding in trash. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.



Container Disposal: Do not re-use empty container. put in trash.

PRECAUTIONARY STATEMENTS  
DANGER

Hazard to Human and Domestic Animals

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful if... swallowed. Wear goggles or face shield and rubber gloves... when handling. Avoid contamination of food. Remove and wash contaminated clothing.



STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

40F4

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



-----  
**FOR EVALUATION PURPOSES ONLY**  
Submit draft of proposed label  
to ELITE's Regulatory Affairs  
Dept. before proceeding with  
artwork.  
-----