

Reg #1, 51793-45

PM-16

132

NOT REVIEWED 87-8
In accordance with PR Notice 88-2
~~Based on draft labeling dated~~

7-8-87

ELITE AEROSOL RESIDUAL FLEA & TICK MIST

Pressurized Spray Residually Kills Fleas and Ticks
on Dogs and Cats

Contains Aloe and Other Premium Grooming Ingredients

ACTIVE INGREDIENTS:

PERMETHRIN 0.050%
DELTAMETHRIN 0.050%
CYFLUTHRIN 0.050%
PYRETHROID 0.050%
PYRETHROID 0.050%

INERT INGREDIENTS: 99.950%
TOTAL 100.000%

ELITE AEROSOL RESIDUAL FLEA & TICK MIST
MADE IN THE U.S.A.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

MANUFACTURED BY:
ELITE CHEMICAL CORPORATION, INC.
P. O. BOX 1947, NORCROSS, GEORGIA 30091

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-45

DIRECTIONS FOR USE

1. IS A RESIDUAL ACT FLEA AND TICK MIST. IT IS DESIGNED TO BE
APPLIED TO THE FUR OF DOGS AND CATS.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

THIS PRODUCT WILL KILL FLEAS AND TICKS ON DOGS AND CATS.
IT IS NOT TO BE USED ON OTHER ANIMALS.
DO NOT USE ON PETS WITH OPEN WOUNDS OR ILLNESS.
KEEP OUT OF REACH OF CHILDREN.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of one second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 5 seconds per pound of body weight for heavy or long-haired dogs.

STORAGE AND DISPOSAL

- Storage:** Store in a cool area away from heat and open flames.
- Disposal:** Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed. Avoid breathing vapors. Do not spray in eyes, face or on genitalia. Do not use on nursing puppies or kittens under 3 months of age.

PHYSICAL AND CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

FOR EVALUATION PURPOSES ONLY