ELITE AEROSOL RESIDUAL FLEA & TICK MIST

Water-based Pressurized Spray Residually Kills Fleas and Ticks on Dogs and Cats

Contains Aloe and Other Premium Grooming Ingredients

ACTIVE INGREDIENTS:

Pyrethrins 0.056%

Permethrin [*3-Phenoxyphenyl)methyl (\pm) cistrans-3-(2,2-dichloroethenyl) 2,2-dimethyl-

cyclopropanecarboxylate] 0.050% Related compounds 0.004%

INERT INGREDIENTS: 99.890% 100.000%

*cis-trans isomer ratio: min. 35% (+) cis

max. 65% (+) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

MANUFACTURED BY:

ELITE MANUFACTURING & PACKAGING, INC. 225 F HORIZON DRIVE, SUWANEE GEORGIA 30174

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-45

NET WEIGHT OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

This product will kill fleas up to 14 days and ticks up to 4 days on dogs. This product will kill fleas up to 14 days and ticks up to 9 days on cats:

ACCEPTED

- i 3 | Page 1

01/03/91 EL045

1710 517931- 45

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of one second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat and open

flame.

Disposal: Do not re-use empty container. Wrap original

container in several layers of newpaper and

discard in trash.

PRECAUTIONARY STATEMENTS CAUTION

Hazards to Humans and Domestic Animals
Harmful if swallowed. Avoid breathing vapors. Do not spray
in eyes, face or on genitalia. Do not use on nursing puppies
or kittens under 3 months of ace.

EXTREMELY FLAMMABLE. Do not use or store near fire, spacks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130F may cause bursting. Incineration of cortainer may cause explosion.

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger.
Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to an unconcious person.

IF INHALED: Remove victim to fresh air. Apply artificial

respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.