

ELITE RESIDUAL FLEA & TICK MIST

Water-based Pump Spray
Residually Kills Fleas and Ticks on Dogs and Cats

Contains Aloe and other premium grooming ingredients

ACTIVE INGREDIENTS:

Pyrethrins	0.056%
Permethrin [*3-Phenoxyphenyl)methyl (+) cis- trans-3-(2,2-dichloroethenyl) 2,2-dimethyl- cyclopropanecarboxylate]	0.050%
Related compounds	0.004%
INERT INGREDIENTS:	99.890%
	100.000%

*cis-trans isomer ratio: min. 35% (+) cis
max. 65% (+) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

MANUFACTURED BY:
ELITE MANUFACTURING & PACKAGING, INC.
225 F HORIZON DRIVE, SUWANEE GEORGIA 30174

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-47

NET CONTENTS _ OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a
manner inconsistent with its labeling.

HOLD CONTAINERS UPRIGHT. SHAKE WELL BEFORE USING.
This product will kill fleas up to 14 days and ticks up to 4
days on dogs.
This product will kill fleas up to 14 days and ticks up to 9
days on cats.

Page 1

01/03/91 EL047

1991
U.S. Environmental Protection Agency
Office of Pesticide Programs
Registration Division
Reg. No. 51793-47

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in face, eyes or on genitalia. Repeat as needed.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat and open flame. Store above 32°F and protect from freezing.

Disposal: Do not re-use empty container. Wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed. Avoid breathing vapors. Do not spray in eyes, face or on genitalia. Do not use on nursing puppies or kittens under 3 months of age.

~~PHYSICAL and CHEMICAL HAZARDS~~

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.