

ELITE RESIDUAL ROOM FOGGER with DURSBAN

Insecticide Provides Flushing Action and Fast Knockdown.

ONE UNIT TREATS UP TO 2,500 CUBIC FEET

Kills Fleas, Flea Larvae, Ticks, Houseflies, Mosquitoes, Cockroaches, Spiders, Centipedes, Wasps, Black Carpet Beetles, Saw-Toothed Grain Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets and Silverfish.


FOR HOMES, APARTMENTS, ATTICS, BASEMENTS, CAMPERS, BOATS, GARAGES, PLANTS, WAREHOUSES, BOXCARS, TRUCKS, KENNELS AND PET SLEEPING QUARTERS.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.052%
*Piperonyl Butoxide, Technical.....	0.260%
**Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl) phosphorotnioate].....	0.500%
INERT INGREDIENTS:	99.188%
	<u>100.000%</u>

*Equivalent to 0.208% (butylcarbityl) (6-propylpiperonyl) ether and 0.052% related compounds.

**DURSBAN - U.S. Patent No. 3,244,586



KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE REAR PANEL FOR ADDITIONAL PRECAUTIONS

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620


EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-48

NET CONTENTS 3.75 OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



2073

Use one canister for each 2,500 cubic feet of unobstructed area. Example: 15.5 feet long by 20 feet wide by 8 feet high = 2,500 cubic feet. Use additional units for remote rooms or where free flow of the mist is not assured. Do not use in an area less than 1,000 cubic feet (12.5 feet by 10 feet by 8 feet).

PREPARATION: Cover exposed foods, dishes and food handling equipment. Cover or remove plastic, vinyl and wood surfaces/articles. Open cabinets and doors in areas being treated. Shut off fans and air conditioners. Put out all open flames and pilot lights. Remove pets and cover fish tanks or fish bowls with paper or remove from area. Close exterior doors and windows.

TO START FOGGING: Place fogger on table, stand or chair in center of area. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arms length with top of can pointing away from face and eyes. Push down on finger pads until it locks - this will start fogging action. Set canister in upright position on table, etc., and leave building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. Then open exterior doors and windows and allow to air for one hour before reoccupying area. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and foodstuffs. Wash hands with soap and water after using and before eating or smoking. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

Do not use this product in commercial food handling establishments, restaurants or other areas where food is prepared or processed.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

WARNING: Contains methyl chloroform, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if Irritation persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Atropine by injection is antidotal only if symptoms of cholinesterase inhibitors are present.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPORAL: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

