EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

ELITE LAWN SPRAY

Concentrate
Kills Fless On Lawns

MPA Letter Dated:

MAY 8 - 1986

AND DESCRIPTION OF

Under the Federal Inscended, Fungielde, and Rodenticin 't as amended, for the pes. 18 registered under EPA Reg. No.

Also controls cockroaches, palmetto bugs, ants, crickets, sowbugs (pillbugs), centipedes, ticks and spiders

ACTIVE INGREDIENTS:

*Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1-methylethyl) benzeneacetate

INERT INGREDIENTS:

1.72% 98.28% 100.00%

*Licensed under U. S. Patent No. 4,062,968 of Sumitomo Chemical Company.

EPA EST #51793-GA-1

EPA REG. #51793-

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical

attention if irritation persists.

IF ON SKIN
OR CLOTHING:

Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention

if irritation persists.

IF SWALLOWED:

Call a physician or Poison Control Center. Do not induce vomiting because of aspiration

hazard.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

Causes skin irritation. Harmful if swallowed. Avoid breathing vapors. May cause eye irritation. Do not get on skin, in eyes, or on clothing. Wash thoroughly with soap and warm water after handling. For eyes, flush with water and get medical attention if irritation persists.

Do not spray plants used for food or feed.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NET CONTENTS 16 oz.

Manufactured by: ELITE CHEMICAL CORPORATION

P.O. BOX 1947, NORCROSS, GA 30091

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWN FLEA CONTROL:

To kill fleas harboring in lawns use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea control product in conjunction with this application.

Amount of Product to Use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1 1/3 fluid ounces	3 gallons	500 sq. ft. (50' X 10')
2 2/3 fluid ounces	6 gallons	1,000 sq. ft. (50' X 20')
5 1/3 fluid ounces	12 gallons	2,000 sq. ft. (50' X 40')

*NOTE: 1 fluid ounce = 2 Tablespoonsful = 6 Teaspoonsful

FOR OUTDOOR PESTS:

Mix concentrate in a compressed air sprayer or watering can at the rate of sixteen (16) fluid ounces per one (1) gallon of water to control on contact cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and sowbugs (pillbugs), treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use four (4) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

<u>Disposal:</u> Do not reuse empty container. Rinse thoroughly and securely wrap original container in several layers

of newspaper and discard in trash.