

ELITE LAWN SPRAY CONCENTRATE
Kills Fleas on Lawns

Also controls Cockroaches, Palmetto Bugs, Ants, Crickets,
 Sowbugs (Pillbugs), Centipedes, Ticks and Spiders

KILLS THE DEER TICK THAT CARRIES LYME DISEASE

ACTIVE INGREDIENTS:

*Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-
 (1-methylethyl) benzeneacetate.....1.72%

*INERT INGREDIENTS:.....98.28%
 100.00%

*Licensed under U.S. Patent No. 4,062,968 of Sumitomo
 Chemical Company

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1


EPA Reg. No. 51793-50

NET CONTENTS _____ OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a
 manner inconsistent with its labeling.

LAWN FLEA CONTROL: To kill fleas harboring in lawns, use this concentrate in
 a hose-end sprayer. Place required amount of concentrate in sprayer jar (see
 chart below) and fill with water to the recommended level. Mix well. Attach
 to sprayer and spray as recommended. For best results, lawn should be mowed a
 day or two before spraying. Spray using a slow, even sweeping motion, being
 sure to cover the entire lawn surface where the pets will normally frequent.
 Repeat treatments may be necessary at 7 to 14 day intervals.




Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea control product in conjunction with this application.

AMOUNT OF PROD. TO USE FLUID OUNCES*	/	AMOUNT OF WATER TO USE	/	AREA TO BE TREATED
1 1/3 FLUID OUNCES		3 GALLONS		500 SQ FT (50' X 10')
2 2/3 FLUID OUNCES		6 GALLONS		1000 SQ FT (50' X 20')
4 FLUID OUNCES		9 GALLONS		1500 SQ FT (50' X 30')
5 1/3 FLUID OUNCES		12 GALLONS		2000 SQ FT (50' X 40')
8 FLUID OUNCES		18 GALLONS		3000 SQ FT (50' X 60')
16 FLUID OUNCES		36 GALLONS		6000 SQ FT (50' X 120')

*NOTE: 1 FLUID OUNCE = 2 TABLESPOONSFUL = 6 TEASPOONSFUL


FOR OUTDOOR PESTS: Mix concentrate in a compressed air sprayer or watering can at the rate of sixteen (16) fluid ounces per one (1) gallon of water to control on contact cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders and ticks. Use at the rate of one (1) gallon (diluted spray) per 1000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT: To help prevent infestations of buildings by ants, crickets, spiders, centipedes and sowbugs (pillbugs): Treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use four (4) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1000 square feet.



FOR USE WITH HOSE END SPRAYER CAP

The hose end sprayer cap is calibrated to deliver the correct dilution rate. No mixing - no measuring - no mess. Screw hose into back of sprayer cap. Remove bottle cap (save for storage after use). Secure sprayer cap by turning bottle counter-clockwise. Turn on water supply. TO START FLOW OF INSECTICIDE, place index finger over hole on right side of sprayer cap. Spray evenly and completely over lawns and other infested areas, giving special attention to areas frequented by pets. Hold about three feet above surface, moving at a steady pace to insure consistent, thorough coverage. When treatment is complete, or you wish TO STOP FLOW OF INSECTICIDE for any reason, simply remove finger from hole to break siphon action. TO STORE REMAINING INSECTICIDE, turn off water supply and remove bottle from sprayer unit and hose by turning bottle clockwise. Replace cap on bottle and tighten securely. Unscrew hose from sprayer unit and rinse unit in clear water. Store in cool place.



STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Do not reuse empty container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENT WARNING

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes skin irritation. Harmful if swallowed. Avoid breathing vapors. Causes eye irritation. Do not get on skin, in eyes, or on clothing. Wash thoroughly with soap and warm water after handling. For eyes, flush with water and get medical attention if irritation persists. Do not spray plants used for food or feed.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

**IF ON SKIN
OR CLOTHING:** Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

474