ELITE INSECT SPRAY with BAYGON II

INSECT RESIDUAL SPRAY WITH SYNERGIZED PYRETHRINS AND BAYGON

For Use in Homes and Food and Nonfood Areas of Kennels, A C C E P T E D Commercial Buildings: Warehouses, Theaters, Schools, Office Buildings, Motels, Hotels, Restaurants and Food Processing Facilities.

Insect-Killing Power Lasts for 1-2 Weeks
Against Roaches in Indoor Situations

NOV 29 1993

This product must be applied using a compressed air sprayer.

Do not apply this product using a trigger pump sprayer.

Spray Only On Surfaces. DO NOT USE as a Space Spray.

This formulation gives rapid kill of crawling insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Spray residues kill insects indoors for weeks after the spray deposit has dried.

Ants Earwigs Scorpions
Brown Dog Ticks Fleas Silverfish
Clover Mites Millipedes Sowbugs
Crickets Roaches Spiders
Sawtoothed Grain Beetles (exposed stage)

ACTIVE INGREDIENTS:

*Equivalent to .08% (butylcarbityl) (6-propylpiperonyl) ether and .02% related compounds.

+MGK-264, Insecticide Synergist

**Baygon - U.S. Patent No. 3,111,539

THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT METHYLENE CHLORIDE.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

11/11/19

MANUFACTURED BY: RSR LABORATORIES, INC. 501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-56

NET CONTENTS OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

<u>GENERAL</u>: Use Residual Spray as a spot or crack and crevice treatment to control Cockroaches, Waterbugs, Silverfish, Ticks, fleas and other insects listed below. Apply this product as a coarse spray to localized areas where pests are found or may occur. Spray surfaces until wet. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings. Repeat as needed.

<u>Indoor Use - Spot Treatment Only</u>: Ants, Cockroaches, Crickets, Silverfish, Spiders, Scorpions, Sawtoothed Grain Beetles (exposed stage), and Waterbugs: Spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For Ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

<u>Outdoor Use:</u> Ants, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Sowbugs and Brown Dog Ticks: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For Ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

from these insects. Spray outside surfaces of window and door frames as well as other areas where these pests may enter the home. Also spray dark corners and localized resting areas (such as under eaves) or porches, patios and garages where these insects may congregate. Flies and mosquittees doming to rest on treated surfaces will be killed. Repeat treatment when necessary.

3 H 1

To Kill ANTS, ROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES and DERMESTIDS:

Pest Control in Meat Packing and Food Processing Plants, Food Storage Areas, Stores, Warehouses, Restaurants and Other Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served).

Food Areas: LIMITED TO CRACKS AND CREVICE TREATMENT ONLY. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids or hollow equipment legs where the insects noted above hide. Do not use this product in conduits, motor housings or electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist and provide adequate ventilation of area being treated. Wash thoroughly after handling.

NOTE TO PHYSICIAN: Baygon is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

All food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquarium before spraying.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Keep away from heat, sparks and open flame. Do. not puncture use in or around electrical equipment due to shock hazard.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not

induce vomiting. Vomiting may cause aspiration pneumonia.

IF IN EYES: Flush immediately with clean water. Get medical attention if

irritation persists.

IF ON SKIN: Remove clothing and wash skin with warm, soapy water.

Thoroughly launder clothing before wearing again. Prolonged or

repeated contact with this product may result in an allergic

reaction.

IF INHALED: Remove victim to fresh air.

