

05 NOV 1993

300/5452559  
18/4

# FILE COPY

Ms. Kim Lanham  
RSR Laboratories  
501 Fifth Street  
P. O. Box 8700  
Bristol, TN 37621-8700

Dear Ms. Lanham:


Subject: Revised Labeling and Updated Confidential Statement of  
Formula  
Elite Room Fogger II  
EPA Reg. No. 51793-65  
Submission dated August 27, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Three copies of the finished labeling must be submitted prior to releasing the product for shipment.

Add the following precautions to your Precautionary Statements paragraph: "In hospitals, remove all patients prior to treatment. Ventilate area for 2 hours before returning patients.

This will also acknowledge receipt of the revised basic formulation dated August 27, 1993. This formulation submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A copy of the Confidential Statement of Formula has been placed in the respective file.

Sincerely,



Adam Heyward  
Acting Product Manager 10  
Insecticide & Rodenticide Branch  
Registration Division (7505C)

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

**BEST AVAILABLE COPY**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

### ELITE ROOM FOGGER II

05 NOV 1993

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

51793-65

Used as a Total Release Fogger, this product will kill  
exposed stages of: Houseflies, Mosquitoes,  
Small Flying Moths, Fleas, Wasps, Hornets, Ticks,  
Crickets, Silverfish and Cockroaches.

One Unit Treats Up To 6,000 Cubic Feet

For Use In the Home and in Food and Nonfood Areas of  
Kennels, Restaurants, Food Processing Plants, Industrial  
Buildings, Schools, Warehouses, Offices, Theaters,  
Garages, Hotels, Motels and Hospitals.

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.50%
*Piperonyl Butoxide, Technical.....	1.00%
+N-Octyl bicycloheptene dicarboximide.....	1.67%
INERT INGREDIENTS: .....	96.83%
	<u>100.00%</u>

\*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl)  
ether and 0.20% related compounds.  
+MGK 264, Insecticide Synergist.

-----  
KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
-----

MANUFACTURED BY:  
RSR LABORATORIES, INC.  
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-65

NET CONTENTS \_\_\_\_\_ OZ

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner  
inconsistent with its labeling.

Cover exposed food, dishes and food handling equipment. Open cabinets and  
doors to area to be treated. Shut off fans and air conditioners. Put out all  
flames and pilot lights. Close doors and windows. Point valve opening away

from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for 4 hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks or when necessary.

**To Kill Fleas and Ticks:** Destroy old pet bedding and replace. Use product as above. Pets should be treated with a registered tick and flea control product prior to re-entry. Repeat as necessary to bring infestation under control.

**PRECAUTIONARY STATEMENTS**  
Hazards to Humans and Domestic Animals  
**CAUTION**

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Avoid inhalation of vapors. Avoid contact with skin and eyes. Avoid contamination of food and feedstuffs.

If used in food processing or preparation areas, foods should be removed or covered during treatment. Food processing surfaces should be cleaned with an effective cleaning compound and then rinsed with potable water to remove all traces of contamination before reuse. Do not treat while food processing is underway. Do not spray on walls, composition tiles or plastics.

Remove pets, birds and cover fish aquarium before spraying.

**PHYSICAL OR CHEMICAL HAZARDS**

**EXTREMELY FLAMMABLE.** Do not use or store near fire, sparks or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

**WARNING:** Contains methyl chloroform, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry area away from heat or open flame.

**DISPOSAL:** Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.