OCT 2 9 1991

Mr. Robert R. Adams, Jr. Elite Manufacturing & Packaging, Incorporated 225-F Horizon Drive Suwanee, GA 30174

Dear Mr. Adams:

Subject: Revised Labeling In Response To DEET LIP Elite Aerosol Insect Repellent Spray EPA Registration Number 51793-66 Elite Insect Repellent Spray EPA Registration Number 51793-70 Elite Insect Repellent 100 EPA Registration Number 51793-89

Submission dated September 30, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

- 1. Although we would prefer inclusion, we have determined that it is acceptable to remove the statement "If you go to a doctor, take this repellent with you" from the product label. You may remove this statement from the label without submitting an amendment.
- 2. Delete the phrase "...apply liberally...". This wording is inconsistent with the remainder of text in the LIP.

Sincerely,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division

ACCEPTED with COMMENTS In EPA Letter Dated

OCT 2 9 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

ELITE AEROSOL INSECT REPELLENT SPRAY 5/793-66

Repels Mosquitoes, Chiggers, Ticks, Deer Flies, Stable Flies, Black Flies, Gnats and Fleas on Exposed Skin Surfaces

ACTIVE INGREDIENTS:

N, N-diethyl-m-toluamide 16.62% +N-Octyl bicycloheptene dicarboximide 5.00% *Di-n-propyl isocinchomeronate 2.50% INERT INGREDIENTS: 75.00% 100.00%

+MGK 264, Insecticide Synergist

*MGK Repellent 326

KEEP OUT OF REACH OF INFANTS AND YOUNGER CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

MANUFACTURED BY: ELITE MANUFACTURING & PACKAGING, INC. 225 F HORIZON DRIVE, SUWANEE, GEORGIA 30174

EPA Est. No. 51793-GA-1

EPA Req. No. 51793-66

NET WEIGHT OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions before using this product.

To repel the insects listed on the Front Panel, apply liberally to all exposed skin areas. To apply to face, spray on hands and rub on. Repeat as needed. For ticks and chiggers, also apply liberally to shoe tops, socks, and around openings in clothing.

Do not spray in enclosed areas.

Do not apply over cuts, wounds, or irritated skin.

Do not apply to eyes and mouth and do not apply to the hands of young children. Do not spray directly of face.

Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication and saturation is unnecessary for effectiveness.

After returning indoors, wash treated skin with soap and water. Was treated clothing.

Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your local poison control center. If you go to a doctor, take this repellent with you.

Avoid contact with plastics, such as eyeglass frames, and such fabric as acetate rayon.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open

flame.

Disposal: Do not re-use empty container. Wrap original container in several layers of newspaper and discard in trash. Do not puncture or incinerate.

PRECAUTIONARY STATEMENTS CAUTION Hazards To Humans and Domestic Animals

Causes eye irritation. Harmful if swallowed. Avoid contact with eyes or lips. Instruct older children in the proper use of this product and keep it from infants and young children. Do not let children rub their eyes if hands have been treated.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF 8 LLOWED: Call a physician or Poison Control Center.
Drink 1 or 2 glasses of water and induce
vomiting by touching back of throat with
finger. Do not induce vomiting or give
anything by mouth to an unconscious person.

ŗ