h. The Registration Number which has been assigned to this product must appear on the label as DPA Registration No. 51793-79.

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE

3. This registration is issued on you statement that you will not market the product under your own label and that the product will be marketed solely by your supplementally registered distributors, as your agents. If at any time you market this product under your own label, you must submit five copies of the finished printed labels before you release the product for shipment under your label. It is understood that your agent's labels will comply with the revisions prescribed above and also comply with the general labeling requirements of 40 CFR 162.10.

Arturo E. Castillo Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767-C)

enclosures:

3લ હ મો

File Copy

շյ<u>սլ ։..</u> 19**97**.

### ELITE PYRETHRIN POWDER

QUICK KILL ACTION AND LONG LASTING CONTROL

5/793-29

For use in Residences, Institutions, Food Plants, Motels, Theaters, Schools, Truck Trailers, Boxcars, Hospitals, Office Buildings and Hotels.

Controls ANTS, COCKROACHES, SILVERFISH, FLEAS, TICKS and others listed on side panels

Contains natural Pyrethrins

Delete

Provides Rapid Control of Insects on Vegetables or Ornamental Plants

Leaves No Objectionable Residues

Acceptable for Use To Day Of Harvest On Edible Plants

This dust may be used throughout the growing season; or as a preharvest treatment acceptable for use up to the day of harvest on Edible Plants when other insecticides are prohibited due to residue restrictions and use limitations.

May also be used to control fleas, ticks, & lice on cats and dogs

ACTIVE INGREDIENTS:

Pyrethrins..... 0.10%
\*Piperonyl Butoxide, Technical..... 1.00%
INERT INGREDIENTS:.... 98.90%

TOTAL: 100,00%

\*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds

KEBP OUT OF REACH OF CHILDREN

CAUTION

Avoid inhalation of dust.

See side panels for additional precautionary statements

Manufactured by: ELITE CHEMICAL CORPORATION, INC. P.O. BOX 1947, NORCROSS, GA. 30091

EPA EST. #51793-GA-1

EPA REG. #51793-

NET	CONTENTS:	
-----	-----------	--

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

**CROP** 

### TO CONTROL

ASPARAGUS	Asparagus Beetles
BEANS	Aphids, Leafhoppers, Mexican Bean Beetles
BROCCOLI, CABBAGE, BRUSSEL SPROUTS, CAULIFLOWER	Cabbage Loopers, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported Cabbageworms
CELERY	Cabbage Loopers, Leaf Tiers
LETTUCE	Cabbage Loopers, Diamondback Moth Larvae, Imported Cabbageworms
POTATOES	Aphids, Colorado Potato Beetles, Flea Beetles, Leafhoppers
RADISHES	Aphids, Flea Beetles
SPINACH	Aphids, Cabbage Loopers,
TOMATOES	Green Peach Aphid, Flea Beetles
ORNAMENTALS	Aphids, Flea Beetles, Leafhoppers on: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus, Marigolds, Roses, etc.

To control Fleas, Ticks and Lice on Dogs and Cats, dust powder liberally over the entire body. Alb dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to get the powder in animal's eyes, nose or mouth. Dust bedding, kennel and sleeping area regularly. Repeat as needed.

#### NON FOOD AREAS!

Homes, institutions, hospitals, office buildings, warehouses, hotels, motels, theaters, schools, truck trailers, and railroad cars: To control chawling insects including ants, cockroaches, silverfish, fleas and ticks, apply a continuous visible film underneath and behind stoves, refrigerators, and appliances. Treat on, around and behind moldings, shelves, baseboards, pipe openings, cracks, crevices and other areas where insects may hide. Do not use on surfaces that come into direct contact with focd. For severe infestations, apply this product behind cabinets and walls, in crawl spaces and in attics at the rate of 16 ounces per 1000 square feet of surface area. In animal quarters, distribute this product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

Food processing plants and warenouses, bakeries, Beverage plants, restaurants, supermarkets, meat and poultry processing plants, notels, motels, hospitals, and schools: Limited to crack and crevice treatment only. Using a pulpous or similar duster, apply a small amount of material directly into cracks, crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where roaches, ants, silverfish, spiders and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

THIS CONTAINER IS FILLED BY WEIGHT, NOT BY VOLUME. YOU CAN
BE ASSURED OF THE PROPER WEIGHT EVEN THOUGH SOME SETTLING OF
CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING.

STORAGE & DISPOSAL

For containers larger than 5 pounds:

Do not contaminate water, food or feed by storage or disposal STORAGE AND SPILL PROCEDURES: Store upright in original container at room temperature. Avoid exposure to moisture. In case of spill or leakage, sweep up and dispose of according to local and state chemical waste guidelines.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

For containers 5 pounds and smaller:

STORAGE: Store in original container in an area inaccessible children and pets and away from heat and sunlight. exposure to moisture.

DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and put in trash.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid breathing dust and contact with skin and eyes.

STATEMENT OF PRACTICAL TREATMENT Remove victim to fresh air. IF INHALED: Apply artificial respiration if indicated. Give nothing by mouth to unconscious person. IF ON SKIN: Remove contaminated clothing. Wash skin with soah Contact a physician if irritation persists. Wa'sh' . clothing before reuse. IF IN EYES: Flush eyes with water for 1015 minutes. physician if irritation persists. Contact a:

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment disposal of wastes.

 $(v_i^i)_{i=1}^{n}$