1 DEC 1992

RSR Laboratories, Inc. 501 Fifth Street Bristol, Tennessee 37620

Attn: Kim Lanham

Subject: Elite Pyrethin Powder

EPA Registration No. 51793-79

Application dated October 30, 1992

Dear Ms. Lanham:

The proposed amendment to the registration of the product cited above under The Federal Insecticide, Fungicide, Rodenticide Act correcting the name and address of the manufacturer and adding an alternate formulation is acceptable. A stamped copy of the label is enclosed for your records.

The Confidential Statement Of Formulas (CSFs) dated October 30, 1992 are acceptable and have been placed into the file for this product.

Sincerely,

Joseph M. Tavano Acting Product Manager 10 Insecticide & Rodenticide Branch Registration Division (H7505C)

CONCURRENCES OFFICIAL FILE COPY

Printed on Recycled Paper

11.8. Government Printing Office: 1602 -- 000-806/4067:

ELITE PYRETHRIN POWDER OUICK KILL ACTION AND LONG LASTING CONTROL

For use in Residences, Institutions, Food Plants, Motels, Theaters, Schools, Truck Trailers, Boxcars, Hospitals, Office Buildings and Hotels.

CONTROLS ANTS - COCKROACHES - SILVERFISH - FLEAS - TICKS And Others Listed On Side Panels

CONTAINS PYRETHRINS

Provides Rapid Control Of Inspects On Vegetables Or Ornamental Plants. Leaves No Objectionable Residues. Acceptable For Use To Day Of Harvest On Edible Plants.

This Dust May Be Used Throughout The Growing Season; Or As A Preharvest Treatment Acceptable For Use Up To The Day Of Harvest On Edible Plants When Other Insecticides Are Prohibited Due To Residue Restrictions And Use Limitations.

May Also Be Used To Control Fleas, Ticks, And Lice On Cats And Dogs.

ACTIVE INGREDIENTS:

| Pyrethrins | 0.10% |
|--------------------------------|---------|
| *Piperonyl Butoxide, Technical | 1.00% |
| INERT INGREDIENTS: | 98.90% |
| | 100.00% |

^{*}Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compounds.

| A | CC | EP | TE | |
|----|-----------|--------|----------|---------|
| | L | | 1992 | 140 \ |
| ١, | Jader the | Federa | odentici | de Acid |

KEEP OUT OF REACH OF CHILDREN

CAUTION

AVOID INHALATION OF DUST

77 SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

MANUFACTURED BY:

RSR LABORATORIES, INC. 501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-79

NET CONTENTS ____OZ

Page 1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control FLEAS, TICKS and LICE on Dogs and Cats, dust powder liberally over the entire body. Rub dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to put the powder in animal's eyes, nose or mouth. Dust bedding, kennel and sleeping area regularly. Repeat as needed.

NON FOOD AREAS:

Homes, institutions, hospitals, office buildings, warehouses, hotels, motels, theaters, schools, truck trailers and railroad cars: To control crawling insects including ANTS, COCKROACHES, SILVERFISH, FLEAS AND TICKS, apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind moldings, shelves, baseboards, pipe openings, cracks and crevices and other areas where insects may hide. Do not use on surfaces that come into direct contact with food. For severe infestations, apply this product behind cabinets and walls, in crawl spaces and in attics at the rate of 16 ounces per 1,000 square feet of surface area. In animal quarters, distribute this product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals and schools: Limited to crack and crevice treatment only. Using a bulbous or similar duster, apply a small amount of material directly into cracks, crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where ROACHES, ANTS, SILVERFISH, SPIDERS and CRICKETS hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat treatment as necessary.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

CROP

TO CONTROL

ASPARAGUS

Asparagus Beetles

BEANS

Aphids, Leafhoppers, Mexican

Bean Beetles

BROCCOLI, CABBAGE, BRUSSEL SPROUTS, CAULIFLOWER

Cabbage Loopers, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported

Cabbageworms

CELERY

Cabbage Loopers, Leaf Tiers

LETTUCE

Cabbage Loopers, Diamondback

Moth Larvae, Imported

Cabbageworms

POTATOES

Aphids, Colorado Potato,

Beetles, Flea Beetles,

Leafhoppers

RADISHES

Aphids, Flea Beetles

SPINACH

Aphids, Cabbage Loopers,

Webworms

TOMATOES

Green Peach Aphid, Flea

Beetles

ORNAMENTALS

Aphids, Flea Beetles,

Leafhoppers on:

African Violets, Asters,

Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus, Marigolds,

Roses, etc.

THIS CONTAINER IS FILLED BY WEIGHT, NOT BY VOLUME. YOU CAN BE ASSURED OF THE PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY ACCURS TOOKING TRANSPORTATION AND HANDLING.

STORAGE AND DISPOSAL

For containers larger than 5 pounds:

Do not contaminate water, food or feed by storage or disposal.

STORAGE AND SPILL PROCEDURE: Store upright in original container at room temperature. Avoid exposure to moisture. In case of spill or leakage, sweep up and dispose of according to local and state chemical waste guidelines.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

For containers 5 pounds or smaller:

STORAGE: Store in original container in an area inaccessible to children and pets and away from heat and sunlight. Avoid exposure to moisture.

DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and put in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS C A U T I O a

Avoid breathing dust and contact with skin and eyes.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Give nothing by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing. Wash skin with soap and water. Contact a physician if irritation persists. Wash clothing before reuse.

IF IN EYES: Flush eyes with water for 10 to 15 minutes. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.