

Reg # 51793-79

PM-10

File
196



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JAN 25 1994

Kim Lanham
RSR Laboratories, Inc.
501 Fifth St.
Bristol, TN 37620

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 7/27/93 in Response to PR Notice 93-7
EPA Reg. No. 51793-79
Elite Pyrethrin Powder

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with SoyCanola Ink on paper that
contains at least 50% recycled fiber

296


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

3 } 6

**ELITE PYRETHRIN POWDER
QUICK KILL ACTION AND LONG LASTING CONTROL**

For use in Residences, Institutions, Food Plants, Motels, Theaters, Schools, Truck Trailers, Boxcars, Hospitals, Office Buildings and Hotels.

**CONTROLS ANTS - COCKROACHES - SILVERFISH - FLEAS - TICKS
And Others Listed On Side Panels**

CONTAINS PYRETHRINS

On Residential Lawns and Gardens, Provides Rapid Control Of Insects On Vegetables Or Ornamental Plants. Leaves No Objectionable Residues. Acceptable For Use To Day Of Harvest On Edible Plants.

This Dust May Be Used Throughout The Growing Season; Or As A Preharvest Treatment Acceptable For Use Up To The Day Of Harvest On Edible Plants When Other Insecticides Are Prohibited Due To Residue Restrictions And Use Limitations.

May Also Be Used To Control Fleas, Ticks, And Lice On Cats And Dogs.

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	1.00%
INERT INGREDIENTS:.....	98.90%
	100.00%

*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compounds.

ACCEPTED
with COMMENTS
In EPA Letter Dated

KEEP OUT OF REACH OF CHILDREN

CAUTION

AVOID INHALATION OF DUST

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

JAN 25 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

51793-79

**MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620**

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-79

NET CONTENTS _____ OZ

496

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control FLEAS, TICKS and LICE on Dogs and Cats, dust powder liberally over the entire body. Rub dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to put the powder in animal's eyes, nose or mouth. Dust bedding, kennel and sleeping area regularly. Repeat as needed.

NON FOOD AREAS:

Homes, institutions, hospitals, office buildings, warehouses, hotels, motels, theaters, schools, truck trailers and railroad cars: To control crawling insects including ANTS, COCKROACHES, SILVERFISH, FLEAS AND TICKS, apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind moldings, shelves, baseboards, pipe openings, cracks and crevices and other areas where insects may hide. Do not use on surfaces that come into direct contact with food. For severe infestations, apply this product behind cabinets and walls, in crawl spaces and in attics at the rate of 16 ounces per 1,000 square feet of surface area. In animal quarters, distribute this product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals and schools: Limited to crack and crevice treatment only. Using a bulbous or similar duster, apply a small amount of material directly into cracks, crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where ROACHES, ANTS, SILVERFISH, SPIDERS and CRICKETS hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat treatment as necessary.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

RESIDENTIAL LAWNS AND GARDENS: Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

CROP	TO CONTROL
ASPARAGUS	Asparagus Beetles
BEANS	Aphids, Leafhoppers, Mexican Bean Beetles
BROCCOLI, CABBAGE, BRUSSEL SPROUTS, CAULIFLOWER	Cabbage Loopers, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported Cabbageworms
CELERY	Cabbage Loopers, Leaf Tiers
LETTUCE	Cabbage Loopers, Diamondback Moth Larvae, Imported Cabbageworms
POTATOES	Aphids, Colorado Potato, Beetles, Flea Beetles, Leafhoppers
RADISHES	Aphids, Flea Beetles
SPINACH	Aphids, Cabbage Loopers, Webworms
TOMATOES	Green Peach Aphid, Flea Beetles
ORNAMENTALS	Aphids, Flea Beetles, Leafhoppers on: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus, Marigolds, Roses, etc.

THIS CONTAINER IS FILLED BY WEIGHT, NOT BY VOLUME. YOU CAN BE ASSURED OF THE PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING.

STORAGE AND DISPOSAL

STORAGE: Store in original container in an area inaccessible to children and pets and away from heat and sunlight. Avoid exposure to moisture.

DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and put in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS CAUTION

Avoid breathing dust and contact with skin and eyes.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Give nothing by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing. Wash skin with soap and water. Contact a physician if irritation persists. Wash clothing before reuse.

IF IN EYES: Flush eyes with water for 10 to 15 minutes. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.