

OCT 29 1991

Mr. Robert R. Adams, Jr.
Elite Manufacturing & Packaging, Incorporated
225-F Horizon Drive
Suwanee, GA 30174

Dear Mr. Adams:

Subject: Revised Labeling In Response To DEET LIP
Elite Aerosol Insect Repellent Spray
EPA Registration Number 51793-66
Elite Insect Repellent Spray
EPA Registration Number 51793-70
Elite Insect Repellent 100
EPA Registration Number 51793-89
Submission dated September 30, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

1. Although we would prefer inclusion, we have determined that it is acceptable to remove the statement "If you go to a doctor, take this repellent with you" from the product label. You may remove this statement from the label without submitting an amendment.
2. Delete the phrase "...apply liberally...". This wording is inconsistent with the remainder of text in the LIP.

Sincerely,

RFM

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division

234
ACCEPTED
with COMMENTS
in EPA Letter Dated
OCT 29 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
51793-89

ELITE INSECT REPELLENT 100

**MAXIMUM STRENGTH - 100% DEET
UP TO 10 HOURS OF PROTECTION**

**Repels Mosquitoes, Chiggers, Ticks, Stable Flies, Black
Flies, Gnats and Fleas on Exposed Skin Surfaces**

Resists water, perspiration, and wear.

Contains 100% Deet to repel biting insects.

ACTIVE INGREDIENTS:

N,N-diethyl-m-toluamide	95.00%
Other isomers	<u>5.00%</u>
	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel for Additional Precautionary Statements

**MANUFACTURED BY:
ELITE MANUFACTURING & PACKAGING, INC.
225 F HORIZON DRIVE, SUWANEE, GEORGIA 30174**

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-89

NET CONTENTS ___ OZ

DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a
manner inconsistent with its labeling.**

Read all directions before using this product.

**To Repel the Insects Listed on the Front Panel: Remove
protective cap. Apply liberally to all exposed skin areas.
Repeat as needed. For ticks and chiggers, also apply
liberally to shoe tops, socks and around openings in
clothing.**

Do not apply over cuts, wounds, or irritated skin.

Do not apply to eyes and mouth and do not apply to the hands of young children. Do not apply roll-on directly on face.

Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication and saturation is unnecessary for effectiveness.

After returning indoors, wash treated skin with soap and water. Wash treated clothing.

Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your local poison control center. If you go to a doctor, take this repellent with you.

Avoid contact with plastics, such as eyeglass frames, lenses, watch crystals, and such fabrics as acetate, rayon, spandex, or dynel fabrics. Safe to use on nylon, cotton or wool. May damage furniture finishes, painted surfaces and linoleum.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not reuse container. Wrap and put in trash.

PRECAUTIONARY STATEMENTS

WARNING

Hazards To Humans and Domestic Animals

KEEP OUT OF REACH OF CHILDREN

Instruct older children in the proper use of this product. May cause eye injury. In case of contact with eyes, flush with plenty of water and get medical attention. Harmful if swallowed. Avoid contact with eyes and lips. Do not apply to sunburned, damaged, or irritated skin.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Keep away from heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.