05 NOV 1993

300/5452560 18/6

FILE COPY

Ms. Kim Lanham RSR Laboratories 501 Fifth Street P. O. Box 8760 Bristol, TN 37621-8700

Dear Ms. Lanham:

Subject: Revised Labeling and accompanying Confidential

Statements of Formula Elite Insect Repellent 10J

EPA Reg. No. 51793-89

Submission dated August 27, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared, the signal word "WARNING" should be removed from above the Hazards to Humans and Domestic Animals subheading and placed immediately below this subheading.

This will also acknowledge receipt of the revised <u>basic</u> formulation dated August 27, 1993. This formulation submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A copy of the Confidential Statement of Formula has been placed in the respective file.

Sincerely,

Adam Heyward

Acting Product Manager 10

Insecticide & Rodenticide Branch

Registration Division (7505C)

BEST AVAILABLE COPY

CONCURRENCES								
SYMBOL								
SURNAME		1					************	
DATE						****************		
EPA Form 1320-1A (1/90)		Printed on Recorded Passes				OFFICIAL FILE COPY		

ACCEPTED

05 NOV 1993

Under the Federal Insecticide. Fungicide, and Hodenticide Act as amended, for the pesticide registered under, 793-79 EPA Reg. No. 5/793-79

ELITE INSECT REPELLENT 100

100% DEET UP TO 10 HOURS OF PROTECTION

Repels Mosquitoes, Chiggers, Ticks, Stable Flies, Black Flies, Gnats and Fleas on Exposed Skin Surfaces

Resists water, perspiration and wear.

Contains 100% Deet to repel biting insects.

ACTIVE INGREDIENT: N,N-diethyl-m-toluamide Other Isomers	95.00% 5.00%	
	100.00%	
	_	
KEEP OUT OF REACH OF CHILDREN		

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-89

NET CONTENTS OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions before using this product.

To Repel the Insects Listed on the Front Panel: Remove protective cap. Apply to all exposed skin areas. Repeat as needed. For ticks and chiggers, calso apply liberally to shoe tops, socks and around openings in clothing.

Do not apply over cuts, wounds, or irritated skin.

Do not apply to eyes and mouth and do not apply to the hands of going children. Do not apply roll-on directly on face.

rreere Fr Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication and saturation is unnecessary for effectiveness.

After returning indoors, wash treated skin with soap and water. Wash treated clothing.

Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your local poison control center.

Avoid contact with plastics, such as eyeglass frames, lenses, watch crystals and such fabrics as acetate, rayon, spandex, or dynel fabrics. Safe to use on nylon, cotton or wool. May damage furniture finishes, painted surfaces and linoleum.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap and put in trash.

PRECAUTIONARY STATEMENTS WARNING Hazards to Humans and Domestic Animals

KEEP OUT OF REACH OF CHILDREN

Instruct older children in the proper use of this product. May cause eye injury. In case of contact with eyes, flush with plenty of water and get medical attention. Harmful if swallowed. Avoid contact with eyes and lips. Do not apply to sunburned, damaged, or irritated skin.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Keep away from heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Flush with plenty of water. Get medical attention.

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

€ F F OR

08/27/9**% - ££**089