393

Front



CLEAR

FLEA COLLAR for CATS

FOR LONG-LASTING FLEA CONTROL Veterinary Product

CAUTION:

Do not allow children to play with this collar — see cautions on back panel.

This product contains the toxic inert ingredient Di-ethyl hexyl phthalate.

ACTIVE INTERESTERS

2.3-Statements discounts

Section of the statement of

CONTENTS: 1 FLEA COLLAR

NET WEIGHT: 0.4 OZ.

Fratt Comment

Permanta Animal Health Company 7410 N.W. Tiflerry Springs Parkway Kanasa City, Massuri 64190



Back Panel

DIRECTIONS: Place Flea Collar around cat's neck, adjust for proper fit and snap in place. The collar must be worn loosely and in addition to the regular collar. It collar is worn too tightly, it may produce neck irritation. Cut off and dispose of the excess length. Flea kill begins at once and will continue for 3 months while the collar is worn. For continuous protection, replace collar when effectiveness diminishes. When bathing cat, remove collar until cat is dry.

CAUTION: Do not open protective pouch until ready to use. Do not allow children 10 play with this collar. Do not use on Persians. Do not use on sick or convaleseing cats. Remove collar at first sign or irritation or adverse reaction. Do not use any other pesticides on cat while collar is worn. Collar is intended for use only as an insect cide generator and is not to be taken internally by man or animals.

STORE in original container. Do not reuse empty container. Wrap container: (also spent collars) and DISPOSE in trash.

ACCEPTED with COMMENTS in EPA Letter Dated:

SEP ! 4

Under the Feder, amenicide, Fundicide, and Redenticide Act on amended, for the postlette registers under EFA Reg. No.

56493-12

ENVIRONMENTAL PROJECTION AGENCY OFFICE OF PESTICIDES PROGRAMS US ENVIRONMENTAL PRO 51793-90 REGISTRATION DIVISION (75-767) TERM OF ISSUANCE WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION Mite Morse Sorav With Atronella (Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) This femical propertion F. 10: 14:7 Successe, of annot NOTE: Changes in tabeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you: with it/cite all ratally spire; for registration/reregistration of your product under PIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Ado the pirase "SPA Registration No. 51794-90" to cour label before you release the product for shipment. 3. Submit fire (b) copies of your final printed latel by the your

releases the aroduct for supment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these confitions are not complied with, the requstration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Phil Button Product Manager (17) Insecticide-Rodenticide Pranch Registration Division (TS-767C)

Enclosures

VING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXMAUSTED

58442:1:Tavano:H-4:KERCO:8/25/88:9/7/88:EV:PFR:8G:CL

SEP 7 1988

Under the real insecticide, Fungicide, and P insecticide amended, for exticide the No.

ELITE HORSE SPRAY WITH CITRONELLA

KILLS AND REPELS

STABLE FLIES - HORN FLIES - HOUSE FLIES - FACE FLIES HORSE FLIES - DEER FLIES - MOSQUITOES - GNATS

ALSO FOR USE AS A GROOMING AID AND COAT CONDITIONER

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
*Piperonyl Butoxide, Technical	1.0×
Butoxypolypropylene Glycol	15.0%
Oil of Citronella	1.0%
INERT INGREDIENTS:	82.9%
	100.0%

*Equivalent to 0.8% (butylcarbityl) (6~propylpiperonyl) ether and 0.2% related compounds.

**Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Additional Precautionary Statements

HANUFACTURED BY:

ELITE CHEMICAL CORPORATION, INC.
P. O. BOX 1947, NORCROSS, GEORGIA 30091

EPA Est. No. 51793-GA-1

EPA Req. No. 51793-90

NET CONTENTS __ OZ

DIRECTIONS FOR USE

It a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ELIT HORSE SPRAY WITH CITRONELLA has been especially developed for use on horses. It provides a protective hair coating against flies while importing a high sheen to the hair when brushed out. 1-2 ounces per head per day gives adequate protection. Apply by either soft cloth or fine wist apray.

USE TO WIPE ON: First, brush enimal to remove excess dirt end dust. Noisten (but do not wet to the point of dripping) a soft cloth and rub over the heir. It is best to apply by rubbing against the heir growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Unly a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the cost. Repeat daily or as required.

USE AS A SPRAY: ELITE HORSE SPRAY WITH CITRONELLA may be applied as a fine mist spray to stable area and over end around stabled horses for fast paralysis and kill of flies. Do not wet horse's skin or exceed two ounces per application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rines (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other State and local procedures.

CONTAINERS ONE GALLON AND SHALLER:

STORAGE: Store in original container inaccessible to children and pets.

DISPOSAL: Do not reuse container. Wrap and discurd in trash.

PRECAUTIONARY STATEMENTS CAUTION

Hazarda to Humans and Domestic Animals

Harmful if swallowed. Remove or cover exposed foods before apraying. Do not apply to deiry or food animals. Not for use on horses intended for food.

Page 2

EL090

30/4